


AD-A270 433



ESL-TR-92-47



DYNAMIC RESPONSE OF REINFORCED SOIL SYSTEMS VOLUME II: APPENDICES

R.C. BACHUS, R.J. FRAGASZY, M. JABER,
K.L. OLEN, Z. YUAN, R. JEWELL

GEOSYNTEC CONSULTANTS
5775 PEACHTREE DUNWOODY ROAD
SUITE 200F
ATLANTA GA 30342

MARCH 1993


FINAL REPORT

JUNE 1990 - JUNE 1992


APPROVED FOR PUBLIC RELEASE:
DISTRIBUTION UNLIMITED



93-22748



ENGINEERING RESEARCH DIVISION
Air Force Civil Engineering Support Agency
Civil Engineering Laboratory
Tyndall Air Force Base, Florida 32403



NOTICE

The following commercial products (requiring Trademark®) are mentioned in this report. Because of the frequency of usage, the Trademark was not indicated. If it becomes necessary to reproduce any segment of this document containing any of these names, this notice must be included as part of that reproduction.

Matrex
Miragrid
Reinforced Earth
Tensar

Mention of the products listed above does not constitute Air Force endorsement or rejection of this product, and use of information contained herein for advertising purposes without obtaining clearance according to existing contractual agreement is prohibited.

NOTICE

PLEASE DO NOT REQUEST COPIES OF THIS REPORT FROM
HQ AFCEA/RA (CIVIL ENGINEERING LABORATORY).

ADDITIONAL COPIES MAY BE PURCHASED FROM:

DEFENSE TECHNICAL INFORMATION CENTER
CAMERON STATION
ALEXANDRIA, VIRGINIA 22314

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT UNLIMITED	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S) CEL-TR-92-47	
6a. NAME OF PERFORMING ORGANIZATION GEOSYNTEC CONSULTANTS	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION AIR FORCE CIVIL ENGINEERING SUPPORT AGENCY	
6c. ADDRESS (City, State, and ZIP Code) 5775 PEACHTREE DUNWOODY ROAD, SUITE 260F ATLANTA, GEORGIA 30342		7b. ADDRESS (City, State, and ZIP Code) CIVIL ENGINEERING LABORATORY 139 BARNES DRIVE TYNDALL AIR FORCE BASE, FLORIDA 32403	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AF CIVIL ENGRG SPT AGENCY	8b. OFFICE SYMBOL (If applicable) RACS	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER FO 8635-90-C-0198	
8c. ADDRESS (City, State, and ZIP Code) CIVIL ENGINEERING LABORATORY 139 BARNES DRIVE TYNDALL AIR FORCE BASE, FLORIDA 32403		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO. 2673	PROJECT NO. 1024
		TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) DYNAMIC RESPONSE OF REINFORCED SOIL SYSTEMS, VOLUME II OF II: APPENDICES			
12. PERSONAL AUTHOR(S) BACHUS, R.C.; FRAGASZY, R.J.; JAFER, M.; OLEN, K.L.; YUAN, Z. AND JEWELL R.			
13a. TYPE OF REPORT FINAL	13b. TIME COVERED FROM JUN 90 TO JUN 92	14. DATE OF REPORT (Year, Month, Day) March 1993	15. PAGE COUNT
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
		Blast resistant structures; Blast loading; Reinforced soil; Geosynthetics; Centrifuge modeling; Finite Element analysis; Pullout test.	
19. ABSTRACT (Continue on reverse if necessary and identify by block number.) This report describes the results of a comprehensive laboratory, numerical and physical modeling investigation of the response of reinforced soil structures to blast loading. Dynamic laboratory pullout testing of geogrid and metal strip reinforcement embedded in cohesionless soil shows negligible rate effects with rise times to peak pullout load ranging from several minutes to less than 50 ms. Triaxial tests on fiber-reinforced soil show significant increases in peak strength, axial strain at peak strength and volume reduction with increasing fiber content. (continued on back of page)			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a. NAME OF RESPONSIBLE INDIVIDUAL CAPT. RICHARD A. REID		22b. TELEPHONE (Include Area Code) (904) 238-4912	22c. OFFICE SYMBOL RACS

A numerical model was developed using the DYNA3D finite-element code. A numerical parametric study shows the importance of reinforcement stiffness, soil compaction and roof support on the response of a reinforced soil wall to blast loading.

Centrifuge model tests were conducted on 1:30 scale models of reinforced soil walls. Centrifuge results compare well to numerical predictions and full scale tests. Geogrid reinforced walls (modeled with nylon mesh) performed better than steel strip reinforced walls.

This technical report is divided into two volumes. Volume I contains the main body of the report and Volume II contains the Appendices.

Approved for	
NIB	✓
DE	
U.S.	
J.	
By	
Date	
D.A.	
A-1	

DEIC QUALITY INSPECTED 1

EXECUTIVE SUMMARY

A. OBJECTIVE

The objective of this study was to investigate the response of reinforced soil systems subjected to blast loading and to assess the feasibility of using reinforced soil to provide blast resistance. To meet this objective, a testing program was developed and executed to accomplish the following: (i) to establish the properties of reinforced soil subjected to blast loading, (ii) to develop numerical and physical modeling techniques which are appropriate for evaluating the response of reinforced soil systems subjected to blast loading, and (iii) to establish preliminary analysis methods which can be used for the design of reinforced soil systems subjected to blast loading.

B. BACKGROUND

Blast-protective structures are commonly used by the United States Air Force (USAF) and other branches of the armed forces to protect equipment, explosives, and personnel from conventional weapons effects. These effects include high-pressure impulse loading, projectile/fragment impact and penetration, and cratering. Currently, these structures are constructed either as heavily-reinforced concrete structures or as buried structures protected by a burster slab. These protection measures are costly, time consuming to construct, and sensitive to multiple strikes.

Soil has been used to increase the survivability of these structures by providing a cover or barrier to reduce the shock, pressure, and impact on the structures. However, soil berms must be built at relatively flat slopes (about 2.5 horizontal:1 vertical (2.5H:1V)) for adequate stability. Because of this, the use of a soil cover or berm is restricted by the amount of land available for construction and the logistics of moving large quantities of soil to the site.

The USAF has recently expressed interest in using reinforced soil in the development of blast-protective structures. Reinforced soil is a composite material made up of soil and high-tensile-strength materials such as steel or

geogrid. Soil alone has no tensile strength, and the reinforcement strengthens the soil by confining it and restricting movement parallel to the reinforcement. Incorporating reinforced soil structures in the development of blast-protective structures can accomplish the following: (1) eliminate the use of heavily reinforced concrete, (2) reduce volume of soil required for construction, (3) reduce the amount of land space required, (4) reduce the construction time, (5) simplify structural repair due to bomb damage as compared to reinforced concrete structures, and (6) reduce initial cost of construction compared to other types of structures.

To design blast-protective structures using reinforced soil, the dynamic response characteristics and analytical theory of reinforced soil subjected to blast loading must be established. Although a substantial amount of research has been performed in the past decade to determine the properties of reinforced soil under static loading condition, little work has been carried out to determine reinforced soil properties or theory under blast loading conditions. Research is therefore required to develop a better understanding of the response of reinforced soil to blast loading. This report represents the first comprehensive research effort conducted to understand the response of reinforced soil wall systems subjected to blast loading.

C. SCOPE

A scope of work was developed to achieve the objectives outlined in Section A. This scope of work includes the following:

- an extensive literature review for evaluation of soil and reinforced soil response to blast loading and availability of soil constitutive models and finite element numerical codes for analyzing reinforced soil systems;
- development of laboratory dynamic soil testing equipment and a laboratory testing program to evaluate dynamic response of a reinforced soil system subjected to blast (i.e.: impulse) loading;

- development and utilization of a numerical simulation for analysis of reinforced soil wall systems subjected to blast loading; and
- physical modeling of reinforced soil systems subjected to blast loading using centrifuge modeling.

Using this technical approach makes it possible to compare the different analysis techniques and results, provide a quantitative assessment of the properties of reinforced soil and reinforced soil systems subjected to blast loading, and provide preliminary guidelines for selecting appropriate analysis techniques for the design of reinforced soil systems for blast protection.

D. TEST DESCRIPTION

Laboratory testing, numerical modeling and physical modeling was conducted to study the response of reinforced soil structures subjected to blast loading. A brief description of each test is presented below.

Laboratory Tests: Laboratory strength tests were conducted on three types of reinforcing systems: fiber-reinforced sands, geogrid-reinforced sands and steel-reinforced sands. Triaxial tests were conducted on fiber-reinforced sand to estimate the sand's strength properties. Static pullout tests were conducted with both steel and geogrid reinforcement and sands under various confining pressures to characterize the static load-deflection behavior of the reinforced soil. Dynamic pullout tests were then performed using the same parameters as the static tests. A standard static pullout test box was modified to a dynamic load system by installing an impact beam, hydraulic cylinders, springs, and a trigger system. The system was capable of loading the sample in just a few micro-seconds to simulate a blast load. Dynamic load-deflection behavior was characterized and compared to that obtained from static testing.

Numerical Modeling: A numerical model was developed based on the computer code DYNA3D, a non-linear, three-dimensional finite-element code developed by the Lawrence Livermore National Laboratory for use in the analysis of dynamic solid and structural mechanics problems. A parametric study was conducted to

observe the influence of several critical factors on the behavior of the reinforced soil wall subjected to blast loading. These factors included reinforcement strength, reinforcement length, weapon size, and weapon location.

Physical Modeling: Nine 1/30th scale model reinforced soil walls were tested in the Air Force Civil Engineering Support Agency (AFCEA) centrifuge at Tyndall Air Force Base, Florida. A parametric study was conducted to observe the influence of several critical factors on the behavior of the model reinforced soil walls subjected to blast loading. These factors included reinforcement length, reinforcement type, reinforcement width, weapon location, and influence of a roof slab on the structure.

E. CONCLUSIONS

A brief summary of results obtained from the laboratory testing, numerical modeling, and physical modeling portions of the study are presented below.

Laboratory Testing Results: Results of triaxial testing on fiber-reinforced sand indicate that soil strength, strain at failure and compressibility increase and stiffness decreases as fiber content increases. Results of the pullout testing indicate that dynamic pullout behavior of geogrid in sand, when measured in terms of load vs. displacement, is very similar under constant normal stress to that observed with standard pullout rates used for static design. The dynamic pullout tests subjected the geogrid to a stress path similar to that caused by blast loading.

Numerical Modeling Results: Results of the numerical modeling program indicate that soil stiffness and friction angle significantly affect wall performance, as does reinforcement stiffness. Reinforcement length and soil/reinforcement interface friction coefficient are relatively less important parameters, provided they are kept within normal ranges for static stability.

Physical Modeling: Results of the physical modeling tests indicate that reinforcement type and width play a significant role in wall behavior. The importance of a horizontal constraint along the top of the wall (i.e., a roof

slab) has also been demonstrated. Reproducibility of test results and similarity to numerical predictions provide evidence of the appropriateness of the centrifuge modeling technique for this problem.

F. RECOMMENDATIONS

The results of limited laboratory, centrifuge modeling, and numerical modeling tests conducted in this study indicate that statically designed reinforced soil structures perform favorably as blast-protective structures. It is recommended that the Air Force pursue a more comprehensive study of the use of reinforced soil structures for blast protection with the ultimate goal of developing design procedures and design drawings for reinforced soil structures. This study should include full-scale testing, a comprehensive series of centrifuge tests, modifications to the numerical model, and comprehensive numerical modeling of the centrifuge tests. Ultimately, studies should be developed that investigate other weapons effects on reinforced soil structures such as airblasts and projectile penetrations.


PREFACE


This report was prepared by GeoSyntec Consultants, 5775 Peachtree Dunwoody Road, Suite 200F, Atlanta, Georgia 30342 under Contractor Number F08635-90-C-0198 for the Air Force Civil Engineering Support Agency (AFCEA), Civil Engineering Laboratory, 139 Barnes Drive, Tyndall Air Force Base, Florida 32403-6001.

This report summarizes work accomplished between 8 June 1990 and 30 June 1992. Captain Richard A. Reid, USAF, was the AFCEA/RACS technical program manager.

This report has been reviewed by the Public Affairs Office and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nationals.

This technical report has been reviewed and is approved for publication.


RICHARD A. REID, Capt, USAF
Project Officer


WILLIAM S. STRICKLAND, GM-14
Chief, Air Base Survivability
Branch



FELIX T. UHLIR III, Lt Col, USAF
Chief, Engineering Research
Division

TABLE OF CONTENTS

Section	Title	Page
APPENDIX A	LABORATORY TESTING	1
A.	INTRODUCTION	1
B.	DIRECT SHEAR TESTS	1
C.	STATIC PULLOUT TESTS	4
D.	VERIFICATION OF THE NUMERICAL INTEGRATION METHOD	13
E.	DYNAMIC TENSILE TESTS	16
F.	DYNAMIC PULLOUT TESTS	29
APPENDIX B	NUMERICAL MODELING	98
A.	INTRODUCTION	98
B.	EXAMPLE OF INGRID INPUT FILE	99
C.	EXAMPLE OF DYNA3D INPUT FILE	119
D.	DEFORMED WALL GEOMETRIES	148
APPENDIX C	PHYSICAL MODELING	163
A.	INTRODUCTION	163
B.	INSTRUMENT DATA	163
C.	PHOTOGRAPHS	201

LIST OF FIGURES

Figure	Title	Page
1	Direct Shear Test Results on SP Sand	2
2	Direct Shear Test Results on SW-SM Sand	3
3	Pullout Responses of Miragrid 10T Geogrid in SP Sand	5
4	Pullout Responses of Matrex 120 Geogrid in SP Sand	6
5	Pullout Responses of Miragrid 10T Geogrid in SW-SM Sand	7
6	Pullout Responses of Matrex 120 Geogrid in SW-SM Sand	8
7	Pullout Responses of Tensar UX1500 Geogrid in SP Sand	9
8	Pullout Responses of Miragrid 10T Geogrid in SP Sand	10
9	Pullout Responses of Matrex 120 Geogrid in SP Sand	11
10	Pullout Responses of Galvanized Earth in SP Sand	12
11	A Hypothetical Velocity Time History	14
12	Comparison of Numerical Integration and Closed-Form Solution .	15
13	Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test DT1	17
14	Measured Force at Pulling End of Tensar UX1500 Geogrid for Test DT1	18
15	Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test DT1	19
16	Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test DT1	20
17	Measured Acceleration at Pulling End of Miragrid 10T Geogrid for Test DT2	21
18	Measured Force at Pulling End of Miragrid 10T Geogrid for Test DT2	22
19	Velocity Time History at Pulling End of Miragrid 10T for Test DT2	23
20	Displacement Time History at Pulling End of Miragrid 10T Geogrid for Test DT2	24
21	Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test DT3	25
22	Measured Force at Pulling End of Tensar Matrex 120 Geogrid for Test DT3	26
23	Velocity Time History at Pulling End of Matrex 120 Geogrid for Test DT3	27
24	Displacement Time History at Pulling End of Matrex 120 Geogrid for Test DT3	28

LIST OF FIGURES
(Continued)

Figure	Title	Page
25	Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D1A	30
26	Measured Force at Pulling End of Tensar UX1500 for Test D1A	31
27	Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D1A	32
28	Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D1A	33
29	Dynamic Pullout Response of Tensar UX1500 Geogrid for Test D1A	34
30	Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D1B	35
31	Measured Force at Pulling End of Tensar UX1500 Geogrid for Test D1B	36
32	Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D1B	37
33	Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D1B	38
34	Dynamic Pullout Response of Tensar UX1500 Geogrid for Test D1B	39
35	Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D1C	40
36	Measured Force at Pulling End of Tensar UX1500 Geogrid for Test D1C	41
37	Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D1C	42
38	Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D1C	43
39	Dynamic Pullout Response of Tensar UX1500 Geogrid for Test D1C	44
40	Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D1D	45
41	Measured Force at Pulling End of Tensar UX1500 Geogrid for Test D1D	46

LIST OF FIGURES
(Continued)

Figure	Title	Page
42	Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D1D	47
43	Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D1D	48
44	Dynamic Pullout Response of Tensar UX1500 Geogrid for Test D1D	49
45	Dynamic Pullout Responses of Tensar UX1500 Geogrid for Test D1A, D1B, D1C, and D1D	50
46	Measured Acceleration at Pulling End of Miragrid 10T Geogrid for Test D2B	51
47	Measured Force at Pulling End of Miragrid 10T Geogrid for Test D2B	52
48	Velocity Time History at Pulling End of Miragrid 10T Geogrid for Test D2B	53
49	Displacement Time History at Pulling End of Miragrid 10T Geogrid for Test D2B	54
50	Dynamic Pullout Response of Miragrid 10T Geogrid for Test D2B	55
51	Measure Acceleration at Pulling End of Miragrid 10T Geogrid for Test D2C	56
52	Measured Force at Pulling End of Miragrid 10T Geogrid fir Test D2C	57
53	Velocity Time History at Pulling End of Miragrid 10T Geogrid for Test D2C	58
54	Displacement Time History at Pulling End of Miragrid 10T Geogrid for Test D2C	59
55	Dynamic Pullout Response of Miragrid 10T Geogrid for Test D2C	60
56	Dynamic Pullout Response of Miragrid 10T Geogrid for Test D2A, D2B, and D2C	61
57	Measure Acceleration at Pulling End of Matrex 120 Geogrid for Test D3A	62
58	Measured Force at Pulling End of Matrex 120 Geogrid for Test D3A	63

LIST OF FIGURES
(Continued)

Figure	Title	Page
59	Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D3A	64
60	Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D3A	65
61	Dynamic Pullout Response of Matrex 120 Geogrid for Test D3A	66
62	Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test D3B	67
63	Measured Force at Pulling End of Matrex 120 Geogrid for Test D3B	68
64	Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D3B	69
65	Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D3B	70
66	Dynamic Pullout Response of Matrex 120 Geogrid for Test D3B	71
67	Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test D3C	72
68	Measured Force at Pulling End of Matrex 120 Geogrid for Test D3C	73
69	Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D3C	74
70	Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D3C	75
71	Dynamic Pullout Response of Matrex 120 Geogrid for Test D3C	76
72	Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test D3D	77
73	Measured Force at Pulling End of Matrex 120 Geogrid for Test D3D	78
74	Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D3D	79
75	Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D3D	80

LIST OF FIGURES
(Continued)

Figure	Title	Page
76	Dynamic Pullout Response of Matrex 120 Geogrid for Test D3D	81
77	Dynamic Pullout Response of Matrex 120 Geogrid for Test D3A, D3B, D3C, and D3D	82
78	Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D4	83
79	Measured Force at Pulling End of Tensar UX1500 Geogrid for Test D4	84
80	Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D4	85
81	Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D4	86
82	Dynamic Pullout Response of Tensar UX1500 Geogrid for Test D4	87
83	Measured Acceleration at Pulling End of Miragrid 10T Geogrid for Test D5	88
84	Measured Force at Pulling End of Miragrid 10T Geogrid for Test D5	89
85	Velocity Time History at Pulling End of Miragrid 10T Geogrid for Test D5	90
86	Displacement Time History at Pulling End of Miragrid 10T Geogrid for Test D5	91
87	Dynamic Pullout Response of Miragrid 10T Geogrid for Test D5	92
88	Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test D6	93
89	Measured Force at Pulling End of Matrex 120 Geogrid for Test D6	94
90	Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D6	95
91	Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D6	96
92	Dynamic Pullout Response of Matrex 120 Geogrid for Test D6	97

LIST OF FIGURES
(Continued)

Figure	Title	Page
93	Deformed Shape of Mesh at 0.46 Seconds- Analysis PS2 (weak reinforcement)	149
94	Deformed Shape of Mesh at 0.41 Seconds- Analysis PS3 (strong reinforcement)	150
95	Deformed Shape of Mesh at 0.41 Seconds- Analysis PS4 (short reinforcement)	151
96	Deformed Shape of Mesh at 0.43 Seconds- Analysis PS5 (no roof)	152
97	Deformed Shape of Mesh at 0.41 Seconds- Analysis PS6 (197 lb @ 20 ft)	153
98	Deformed Shape of Mesh at 0.31 Seconds- Analysis PS7 (500 lb @ 10 ft)	154
99	Deformed Shape of Mesh at 0.41 Seconds- Analysis PS8 (500 lb @ 20 ft)	155
100	Deformed Shape of Mesh at 0.41 Seconds- Analysis PS9 (500 lb @ 40 ft)	156
101	Deformed Shape of Mesh at 0.41 Seconds- Analysis PS1B (weapon @ base)	157
102	Deformed Shape of Mesh at 1.03 Seconds- Analysis PS1N (no gravity)	158
103	Deformed Shape of Mesh at 0.41 Seconds- Analysis PS1S (low interface friction)	159
104	Deformed Shape of Mesh at 0.41 Seconds- Analysis PS1W (low soil stiffness)	160
105	Deformed Shape of Mesh at 0.41 Seconds- Analysis P1PHI (high soil friction angle)	161
106	Deformed Shape of Mesh at 0.41 Seconds- Analysis PS1P (3 facing panels)	162
107	Acceleration-Time History: Test 1, Panel T6	164
108	Acceleration-Time History: Test 1, Panel M6	165
109	Acceleration-Time History: Test 1, Panel B6	166
110	Acceleration-Time History: Test 2, Panel T6	167
111	Acceleration-Time History: Test 2, Panel M6	168
112	Acceleration-Time History: Test 2, Panel B6	169

LIST OF FIGURES
(Continued)

Figure	Title	Page
113	Acceleration-Time History: Test 3, Panel T6	170
114	Acceleration-Time History: Test 3, Panel M6	171
115	Acceleration-Time History: Test 3, Panel B6	172
116	Acceleration-Time History: Test 4, Panel T6	173
117	Acceleration-Time History: Test 4, Panel M6	174
118	Acceleration-Time History: Test 4, Panel B6	175
119	Acceleration-Time History: Test 5, Panel T6	176
120	Acceleration-Time History: Test 5, Panel M6	177
121	Acceleration-Time History: Test 5, Panel B6	178
122	Acceleration-Time History: Test 6, Panel T6	179
123	Acceleration-Time History: Test 6, Panel M6	180
124	Acceleration-Time History: Test 6, Panel B6	181
125	Acceleration-Time History: Test 7, Panel T6	182
126	Acceleration-Time History: Test 7, Panel M6	183
127	Acceleration-Time History: Test 7, Panel B6	184
128	Acceleration-Time History: Test 8, Panel T6	185
129	Acceleration-Time History: Test 8, Panel M6	186
130	Acceleration-Time History: Test 8, Panel B6	187
131	Acceleration-Time History: Test 9, Panel T6	188
132	Acceleration-Time History: Test 9, Panel M6	189
133	Acceleration-Time History: Test 9, Panel B6	190
134	Voltage-Time History: Replicate Test- Gage at 2.5 in.	191
135	Voltage-Time History: Replicate Test- Gage at 3.0 in.	192
136	Voltage-Time History: Replicate Test- Gage at 4.5 in.	193
137	Voltage-Time History: Replicate Test- Gage at 5.0 in.	194
138	Voltage-Time History: Replicate Test- Gage at 7.0 in.	195
139	Voltage-Time History: Replicate Test- Gage at 8.0 in.	196
140	Voltage-Time History: Replicate Test- Gage at 8.5 in.	197
141	Voltage-Time History: Replicate Test- Gage at 9.0 in.	198
142	Pressure-Time History: Replicate Test- Gage at 4.0 in.	199
143	Pressure-Time History: Replicate Test- Gage at 8.5 in.	200
144	Pluviated Base and Bracing Block	202
145	First Course of Facing Panels	203
146	First Level of Reinforcement	204

LIST OF FIGURES
(Continued)

Figure	Title	Page
147	First Level of Instrumentation	205
148	Second Level of Reinforcement	206
149	Second Course of Facing Panels	207
150	Third Level of Reinforcement	208
151	Second Level of Instrumentation	209
152	Detonator Placement	210
153	Buried Detonator	211
154	Fourth Level of Reinforcement	212
155	Third Course of Facing Panels	213
156	Fifth Level of Reinforcement	214
157	Third Level of Instrumentation	215
158	Sixth Level of Reinforcement	216
159	Completed Model	217
160	Model Mounted on Centrifuge	218
161	Wired Detonator and Top Restraint	219
162	Berm	220
163	Test 5- Crater	221
164	Test 5- Deformed Wall	222
165	Test 1- Deformed Wall	223
166	Test 1- Close-Up of Central Wall	224
167	Test 4- Deformed Wall	225
168	Test 4- Compression in Steel Reinforcing	226
169	Test 6- Deformed Wall	227

APPENDIX A

LABORATORY TESTING

A. INTRODUCTION

This appendix contains plots of laboratory test results. The appendix is organized as follows:

- Part B presents results from direct shear tests on the SP and SW-SM sands.
- Part C presents the results of static pullout tests on geogrids and galvanized earth bars.
- Part D presents a verification of the numerical integration method used to determine dynamic displacement-time histories for pullout tests.
- Part E contains results of dynamic tensile tests.
- Part F contains results of dynamic pullout tests.

B. DIRECT-SHEAR TESTS

Figures 1 and 2 present the results of direct-shear tests conducted on the SP and SW-SM sands, respectively.




Figure 1. Direct-Shear Test Results on SP Sand.




Figure 2. Direct-Shear Test Results on SW SM Sand.

C. STATIC PULLOUT TESTS

Figures 3 - 10 present the results of static pullout tests on Miragrid 10T, Matrex 120 and Tensar UX1500 geogrid, and galvanized earth bars in SP sand.




Figure 3. Pullout Responses of Miragrid 10T Geogrid in SP Sand.




Figure 4. Pullout Responses of Matrex 120 Geogrid in SP Sand.




Figure 5. Pullout Responses of Miragrid 10T Geogrid in SW-SM Sand.




Figure 6. Pullout Responses of Matrex 120 Geogrid in SW-SM Sand.




Figure 7. Pullout Responses of Tensar UX1500 Geogrid in SP Sand.




Figure 8. Pullout Responses of Miragrid 10T Geogrid in SP Sand.




Figure 9. Pullout Responses of Matrex 120 Geogrid in SP Sand.




Figure 10. Pullout Responses of Galvanized Earth in SP Sand.

D. VERIFICATION OF THE NUMERICAL INTEGRATION METHOD

Figure 11 presents the assumed velocity-time history used to validate the numerical integration method utilized for calculation of dynamic displacement-time histories. Figure 12 presents a comparison of numerical and closed-form integration of this velocity-time history.




Figure 11. A Hypothetical Velocity Time History.




Figure 12. Comparison of Numerical Integration and Closed-Form Solution.

E. DYNAMIC TENSILE TESTS

Figures 13 - 24 present the results of dynamic tensile tests on Miragrid 10T, Matrex 120 and Tensar UX1500 geogrid.




Figure 13. Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test DT1.




Figure 14. Measured Force at Pulling End of Tensar UX1500 Geogrid for Test DT1.




Figure 15. Velocity Time History at Pulling End of Tensar UX1500
Geogrid for Test DT1.




Figure 16. Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test DT1.




Figure 17. Measured Acceleration at Pulling End of Miragrid 10T Geogrid for test DT2.




Figure 18. Measured Force at Pulling End of Miragrid 10T Geogrid for Test DT2.




Figure 19. Velocity Time History at Pulling End of Miragrid 10T Geogrid for Test DT2.




Figure 20. Displacement Time History at Pulling End of Miragrid 10T Geogrid for Test DT2.




Figure 21. Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test DT3.




Figure 22. Measured Force at Pulling End of Tensar Matrex 120 Geogrid for Test DT3.




Figure 23. Velocity Time History at Pulling End of Matrex 120 Geogrid for Test DT3.




Figure 24. Displacement Time History at Pulling End of Matrex 120 Geogrid for Test DT3.

F. DYNAMIC PULLOUT TESTS

Figures 25 - 92 present the results of all dynamic pullout tests conducted on Miragrid 10T, Matrix 120 and Tensar UX1500 geogrid.




Figure 25. Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D1A.




Figure 26. Measured Force at Pulling End of Tensar UX1500 Geogrid for Test D1A.




Figure 27. Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D1A.




Figure 28. Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D1A.




Figure 29. Dynamic Pullout Response of Tensar UX1500 Geogrid for Test D1A.




Figure 30. Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D1B.




Figure 31. Measured Force at Pulling End of Tensar UX1500 Geogrid for Test D1B.




Figure 32. Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D1B.




Figure 33. Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D18.




Figure 34. Dynamic Pullout Response of Tensar UX1500 Geogrid for Test D1B.




Figure 35. Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D1C.




Figure 36. Measured Force at Pulling End of Tensar UX1500 Geogrid for Test D1C.




Figure 37. Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D1C.




Figure 38. Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D1C.




Figure 39. Dynamic Pullout Response of Tensar UX1500 Geogrid
for Test D1C.




Figure 40. Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D1D.




Figure 41. Measured Force at Pulling End of Tensar UX1500 Geogrid for Test D1D.




Figure 42. Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D1D.




Figure 43. Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D1D.




Figure 44. Dynamic Pullout Response of Tensar UX1500 Geogrid for Test D1D.




Figure 45. Dynamic Pullout Responses of Tensar UX1500 Geogrid for Test D1A, D1B, D1C, and D1D.




Figure 46. Measured Acceleration at Pulling End of Miragrid 10T Geogrid for Test D2B.




Figure 47. Measured Force at Pulling End of Miragrid 10T Geogrid for Test D2B.




Figure 48. Velocity Time History at Pulling End of Miragrid 10T Geogrid for Test D2B.




Figure 49. Displacement Time History at Pulling End of Miragrid 10T Geogrid for Test D2B.




Figure 50. Dynamic Pullout Response of Miragrid 10T Geogrid
for Test D2B.




Figure 51. Measured Acceleration at Pulling End of Miragrid 10T Geogrid for Test D2C.




Figure 52. Measured Force at Pulling End of Miragrid 10T Geogrid for Test D2C.




Figure 53. Velocity Time History at Pulling End of Miragrid 10T Geogrid for Test D2C.




Figure 54. Displacement Time History at Pulling End of Miragrid 10T Geogrid for Test D2C.




Figure 55. Dynamic Pullout Response of Miragrid 10T Geogrid for Test D2C.




Figure 56. Dynamic Pullout Response of Miragrid 10T Geogrid for Test D2A, D2B, and D2C.




Figure 57. Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test D3A.




Figure 58. Measured Force at Pulling End of Matrex 120 Geogrid for Test D3A.




Figure 59. Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D3A.




Figure 60. Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D3A.




Figure 51. Dynamic Pullout Response of Matrex 120 Geogrid
for Test D3A.




Figure 62. Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test D3B.




Figure 63. Measured Force at Pulling End of Matrex 120 Geogrid for Test D3B.




Figure 64. Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D3B.




Figure 65. Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D3B.




Figure 66. Dynamic Pullout Response of Matrex 120 Geogrid
for Test D3B.




Figure 57. Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test D3C.




Figure 68. Measured Force at Pulling End of Matrex 120 Geogrid for Test D3C.




Figure 69. Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D3C.




Figure 70. Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D3C.




Figure 71. Dynamic Pullout Response of Matrex 120 Geogrid for Test D3C.




Figure 72. Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test D3D.




Figure 73. Measured Force at Pulling End of Matrex 120 Geogrid for Test D3D.




Figure 74. Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D3D.




Figure 75. Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D3D.




Figure 76. Dynamic Pullout Response of Matrex 120 Geogrid for Test D3D.




Figure 77. Dynamic Pullout Response of Matrex 120 Geogrid for Test D3A, D3B, D3C and D3D.




Figure 78. Measured Acceleration at Pulling End of Tensar UX1500 Geogrid for Test D4.




Figure 79. Measured Force at Pulling End of Tensar UX1500 Geogrid for Test D4.




Figure 80. Velocity Time History at Pulling End of Tensar UX1500 Geogrid for Test D4.




Figure 81. Displacement Time History at Pulling End of Tensar UX1500 Geogrid for Test D4.




Figure 82. Dynamic Pullout Response of Tensar UX1500 Geogrid for Test D4.




Figure 83. Measured Acceleration at Pulling End of Miragrid 10T Geogrid for Test D5.




Figure 84. Measured Force at Pulling End of Miragrid 10T Geogrid for Test D5.




Figure 85. Velocity Time History at Pulling End of Miragrid 10T Geogrid for Test D5.




Figure 86. Displacement Time History at Pulling End of Miragrid 10T Geogrid for Test D5.




Figure 87. Dynamic Pullout Response of Miragrid 10T Geogrid for Test D5.




Figure 88. Measured Acceleration at Pulling End of Matrex 120 Geogrid for Test D6.




Figure 89. Measured Force at Pulling End of Matrex 120 Geogrid for Test D6.




Figure 90. Velocity Time History at Pulling End of Matrex 120 Geogrid for Test D6.




Figure 91. Displacement Time History at Pulling End of Matrex 120 Geogrid for Test D6.




Figure 92. Dynamic Pullout Response of Matrex 120 Geogrid
for Test D5.

APPENDIX B

NUMERICAL MODELING

A. INTRODUCTION

This appendix contains example input files for the computer codes INGRID (the pre-processor for DYNA3D) and DYNA3D, as well as figures showing deformed meshes from each analysis.

The example input file for INGRID, presented below in Part B, is annotated and contains the input data for the base analysis, PS1. The units used are meters, kilograms and seconds. The output file produced by INGRID is the DYNA3D input file presented in Section C. This file is also annotated with comments produced by INGRID and additional comments added by the authors. The portions of the DYNA3D input file needed for analysis PS1, but not produced by INGRID, are clearly marked out by comments. To reduce the length of the listing, only a few lines of node and element data are shown. Section D presents figures showing the deformed mesh shape at the end of each analysis described in Volume 1.

B. EXAMPLE OF INGRID INPUT FILE

The following listing is an example of an INGRID input file. All lines beginning with a "c" are comments. Lower case letters are used for all INGRID input except comments. INGRID files should not begin with a comment; the first line listed below is the title to be used for the DYNA3D input file that INGRID will generate.

```
parametric study - base input file (plane strain)
c
c ... identify computer code for which data are being prepared
c
dn3d
c
c ... termination time for the DYNA analysis
c
term 0.03
c
c ... time interval between writes of state plot data
c
plti 0.040
c
c ... time interval between writes of time history plot data
c
prti 0.040
c
c .. gravity acceleration vector
c
grav 0. 0. 9.81
c
c ... for mass proportional damping add alpha=x directly into card 8 of
c DYNA3D input file since INGRID can't generate rayleigh damping data.
c
c ... define type of sliding interface, static and dynamic friction coeff.
c NOTE: the 10/17/89 version of INGRID will perform this
c command correctly; the 6/27/91 version only puts the dynamic
c friction coeff into the DYNA input file, the static coeff must be input
c by hand
c
si 1 sv fric 0.9 kfric 0.9;
si 2 sv fric 0.9 kfric 0.9;
si 3 sv fric 0.9 kfric 0.9;
si 4 sv fric 0.9 kfric 0.9;
si 5 sv fric 0.9 kfric 0.9;
si 6 sv fric 0.9 kfric 0.9;
si 7 sv fric 0.9 kfric 0.9;
```

```

si 8  sv fric 0.9 kfric 0.9;
si 9  sv fric 0.9 kfric 0.9;
si 10 sv fric 0.9 kfric 0.9;
si 11 sv fric 0.9 kfric 0.9;
si 12 sv fric 0.9 kfric 0.9;
si 13  tied;
si 14 sv fric 1.5 kfric 1.5;
si 15 sv fric 1.5 kfric 1.5;
si 16 sv fric 1.5 kfric 1.5;
si 17 sv fric 1.5 kfric 1.5;
si 18 sv fric 1.5 kfric 1.5;
si 19  tied;
si 20  tied;
si 21  tied;
si 22  tied;
si 23  tied;
si 24  tied;
si 25 sv fric 0.7 kfric 0.7;
si 26 sv fric 0.7 kfric 0.7;
si 27 sv fric 0.7 kfric 0.7;
si 28 sv fric 0.7 kfric 0.7;
si 29 sv fric 0.7 kfric 0.7;
si 30 sv fric 0.7 kfric 0.7;
si 31 sv fric 0.0 kfric 0.0;
si 32 sv fric 1.5 kfric 1.5;
si 33 sv fric 1.5 kfric 1.5;
c
c ... define two planes of symmetry
c
plane 2  0. 0.0 0.  0. -1. 0.  0.005 symm
         0. 0.1 0.  0.  1. 0.  0.005 symm
c
c ... define gravity loading time history
c
lcd  1  5
0.0  0.0
0.02 0.1
0.06 0.9
0.08 1.0
10.00 1.0
c
c ... define velocity time history for blast simulation, one for each node
c
lcd  2 11
0.000E+00 0.000E+00
0.839E-01 0.000E+00
0.849E-01 0.100E+01
0.889E-01 0.886E+00
0.939E-01 0.781E+00
0.104E+00 0.599E+00
0.134E+00 0.221E+00
0.184E+00 -0.059E+00
0.284E+00 -0.127E+00
0.500E+00 0.000E+00

```

0.200E+01	0.000E+00
lcd 3 11	
0.000E+00	0.000E+00
0.830E-01	0.000E+00
0.839E-01	0.100E+01
0.880E-01	0.874E+00
0.930E-01	0.760E+00
0.103E+00	0.564E+00
0.133E+00	0.174E+00
0.183E+00	-0.865E-01
0.283E+00	-1.165E-01
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 4 11	
0.000E+00	0.000E+00
0.821E-01	0.000E+00
0.829E-01	0.100E+01
0.871E-01	0.860E+00
0.921E-01	0.736E+00
0.102E+00	0.525E+00
0.132E+00	0.126E+00
0.182E+00	-1.086E-01
0.282E+00	-1.021E-01
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 5 11	
0.000E+00	0.000E+00
0.817E-01	0.000E+00
0.824E-01	0.100E+01
0.867E-01	0.853E+00
0.917E-01	0.723E+00
0.102E+00	0.505E+00
0.132E+00	0.121E+00
0.182E+00	-1.171E-01
0.282E+00	-9.420E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 6 11	
0.000E+00	0.000E+00
0.814E-01	0.000E+00
0.821E-01	0.100E+01
0.864E-01	0.848E+00
0.914E-01	0.714E+00
0.101E+00	0.491E+00
0.131E+00	0.870E-01
0.181E+00	-1.220E-01
0.281E+00	-8.860E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 7 11	
0.000E+00	0.000E+00
0.813E-01	0.000E+00
0.820E-01	0.100E+01
0.863E-01	0.846E+00

0.913E-01	0.710E+00
0.101E+00	0.484E+00
0.131E+00	0.798E-01
0.181E+00	-1.240E-01
0.281E+00	-8.600E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
1cd 8 11	
0.000E+00	0.000E+00
0.811E-01	0.000E+00
0.818E-01	0.100E+01
0.861E-01	0.843E+00
0.911E-01	0.704E+00
0.101E+00	0.476E+00
0.131E+00	0.707E-01
0.181E+00	-1.263E-01
0.281E+00	-8.260E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
1cd 9 11	
0.000E+00	0.000E+00
0.810E-01	0.000E+00
0.817E-01	0.100E+01
0.860E-01	0.840E+00
0.910E-01	0.700E+00
0.101E+00	0.470E+00
0.131E+00	0.640E-01
0.181E+00	-1.279E-01
0.281E+00	-8.010E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
1cd 10 11	
0.000E+00	0.000E+00
0.808E-01	0.000E+00
0.815E-01	0.100E+01
0.858E-01	0.836E+00
0.908E-01	0.692E+00
0.101E+00	0.457E+00
0.131E+00	0.507E-01
0.181E+00	-1.306E-01
0.281E+00	-7.490E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
1cd 11 11	
0.000E+00	0.000E+00
0.806E-01	0.000E+00
0.813E-01	0.100E+01
0.856E-01	0.831E+00
0.906E-01	0.683E+00
0.101E+00	0.444E+00
0.131E+00	0.386E-01
0.181E+00	-1.325E-01
0.281E+00	-7.020E-02
0.500E+00	0.000E+00

0.200E+01	0.000E+00
lcd 12 11	
0.000E+00	0.000E+00
0.805E-01	0.000E+00
0.812E-01	0.100E+01
0.855E-01	0.829E+00
0.905E-01	0.680E+00
0.101E+00	0.439E+00
0.131E+00	0.334E-01
0.181E+00	-1.332E-01
0.281E+00	-6.820E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 13 11	
0.000E+00	0.000E+00
0.804E-01	0.000E+00
0.810E-01	0.100E+01
0.854E-01	0.826E+00
0.904E-01	0.675E+00
0.100E+00	0.432E+00
0.130E+00	0.271E-01
0.180E+00	-1.339E-01
0.280E+00	-6.570E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 14 11	
0.000E+00	0.000E+00
0.803E-01	0.000E+00
0.810E-01	0.100E+01
0.853E-01	0.824E+00
0.903E-01	0.672E+00
0.100E+00	0.428E+00
0.130E+00	0.226E-01
0.180E+00	-1.343E-01
0.280E+00	-6.390E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 15 11	
0.000E+00	0.000E+00
0.802E-01	0.000E+00
0.808E-01	0.100E+01
0.852E-01	0.821E+00
0.902E-01	0.666E+00
0.100E+00	0.419E+00
0.130E+00	0.146E-01
0.180E+00	-1.349E-01
0.280E+00	-6.080E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 16 11	
0.000E+00	0.000E+00
0.801E-01	0.000E+00
0.807E-01	0.100E+01
0.851E-01	0.818E+00

0.901E-01	0.662E+00
0.100E+00	0.412E+00
0.130E+00	0.840E-02
0.180E+00	-1.352E-01
0.280E+00	-5.830E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 17 11	
0.000E+00	0.000E+00
0.801E-01	0.000E+00
0.807E-01	0.100E+01
0.851E-01	0.817E+00
0.901E-01	0.660E+00
0.100E+00	0.409E+00
0.130E+00	0.620E-02
0.180E+00	-1.353E-01
0.280E+00	-5.740E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 18 11	
0.000E+00	0.000E+00
0.800E-01	0.000E+00
0.806E-01	0.100E+01
0.850E-01	0.816E+00
0.900E-01	0.658E+00
0.100E+00	0.407E+00
0.130E+00	0.390E-02
0.180E+00	-1.353E-01
0.280E+00	-5.650E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 19 11	
0.000E+00	0.000E+00
0.800E-01	0.000E+00
0.806E-01	0.100E+01
0.850E-01	0.816E+00
0.900E-01	0.657E+00
0.100E+00	0.405E+00
0.130E+00	0.270E-02
0.180E+00	-1.353E-01
0.280E+00	-5.600E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 20 11	
0.000E+00	0.000E+00
0.800E-01	0.000E+00
0.806E-01	0.100E+01
0.850E-01	0.815E+00
0.900E-01	0.656E+00
0.100E+00	0.404E+00
0.130E+00	0.160E-02
0.180E+00	-1.353E-01
0.280E+00	-5.560E-02
0.500E+00	0.000E+00

0.200E+01	0.000E+00
1cd 21 11	
0.000E+00	0.000E+00
0.800E-01	0.000E+00
0.806E-01	0.100E+01
0.850E-01	0.816E+00
0.900E-01	0.657E+00
0.100E+00	0.405E+00
0.130E+00	0.270E-02
0.180E+00	-1.353E-01
0.280E+00	-5.600E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
1cd 22 11	
0.000E+00	0.000E+00
0.800E-01	0.000E+00
0.806E-01	0.100E+01
0.850E-01	0.816E+00
0.900E-01	0.658E+00
0.100E+00	0.407E+00
0.130E+00	0.390E-02
0.180E+00	-1.353E-01
0.280E+00	-5.550E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
1cd 23 11	
0.000E+00	0.000E+00
0.801E-01	0.000E+00
0.807E-01	0.100E+01
0.851E-01	0.817E+00
0.901E-01	0.660E+00
0.100E+00	0.409E+00
0.130E+00	0.620E-02
0.180E+00	-1.353E-01
0.280E+00	-5.740E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
1cd 24 11	
0.000E+00	0.000E+00
0.801E-01	0.000E+00
0.807E-01	0.100E+01
0.851E-01	0.818E+00
0.901E-01	0.662E+00
0.100E+00	0.412E+00
0.130E+00	0.840E-02
0.180E+00	-1.352E-01
0.280E+00	-5.830E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
1cd 25 11	
0.000E+00	0.000E+00
0.802E-01	0.000E+00
0.808E-01	0.100E+01
0.852E-01	0.821E+00

0.902E-01	0.666E+00
0.100E+00	0.419E+00
0.130E+00	0.146E-01
0.180E+00	-1.349E-01
0.280E+00	-6.080E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 26 11	
0.000E+00	0.000E+00
0.803E-01	0.000E+00
0.810E-01	0.100E+01
0.853E-01	0.824E+00
0.903E-01	0.672E+00
0.100E+00	0.428E+00
0.130E+00	0.226E-01
0.180E+00	-1.343E-01
0.280E+00	-6.390E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 27 11	
0.000E+00	0.000E+00
0.804E-01	0.000E+00
0.810E-01	0.100E+01
0.854E-01	0.826E+00
0.904E-01	0.675E+00
0.100E+00	0.432E+00
0.130E+00	0.271E-01
0.180E+00	-1.339E-01
0.280E+00	-6.570E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 28 11	
0.000E+00	0.000E+00
0.805E-01	0.000E+00
0.812E-01	0.100E+01
0.855E-01	0.829E+00
0.905E-01	0.680E+00
0.101E+00	0.439E+00
0.131E+00	0.334E-01
0.181E+00	-1.332E-01
0.281E+00	-6.820E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 29 11	
0.000E+00	0.000E+00
0.806E-01	0.000E+00
0.813E-01	0.100E+01
0.856E-01	0.831E+00
0.906E-01	0.683E+00
0.101E+00	0.444E+00
0.131E+00	0.386E-01
0.181E+00	-1.325E-01
0.281E+00	7.020E-02
0.500E+00	0.000E+00

0.200E+01	0.000E+00
lcd 30 11	
0.000E+00	0.000E+00
0.808E-01	0.000E+00
0.815E-01	0.100E+01
0.858E-01	0.836E+00
0.908E-01	0.692E+00
0.101E+00	0.457E+00
0.131E+00	0.507E-01
0.181E+00	-1.306E-01
0.281E+00	-7.490E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 31 11	
0.000E+00	0.000E+00
0.810E-01	0.000E+00
0.817E-01	0.100E+01
0.860E-01	0.840E+00
0.910E-01	0.700E+00
0.101E+00	0.470E+00
0.131E+00	0.640E-01
0.181E+00	-1.279E-01
0.281E+00	-8.010E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 32 11	
0.000E+00	0.000E+00
0.811E-01	0.000E+00
0.818E-01	0.100E+01
0.861E-01	0.843E+00
0.911E-01	0.704E+00
0.101E+00	0.476E+00
0.131E+00	0.707E-01
0.181E+00	-1.263E-01
0.281E+00	-8.260E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 33 11	
0.000E+00	0.000E+00
0.813E-01	0.000E+00
0.820E-01	0.100E+01
0.863E-01	0.846E+00
0.913E-01	0.710E+00
0.101E+00	0.484E+00
0.131E+00	0.793E-01
0.181E+00	-1.240E-01
0.281E+00	-8.600E-02
0.500E+00	0.000E+00
0.200E+01	0.000E+00
lcd 34 11	
0.000E+00	0.000E+00
0.814E-01	0.000E+00
0.821E-01	0.100E+01
0.864E-01	0.848E+00

```

0.914E-01 0.714E+00
0.101E+00 0.491E+00
0.131E+00 0.870E-01
0.181E+00 -1.220E-01
0.282E+00 -8.860E-02
0.500E+00 0.000E+00
0.200E+01 0.000E+00
lcd 35 11
0.000E+00 0.000E+00
0.817E-01 0.000E+00
0.824E-01 0.100E+01
0.867E-01 0.853E+00
0.917E-01 0.723E+00
0.102E+00 0.505E+00
0.132E+00 0.121E+00
0.182E+00 -1.171E-01
0.282E+00 -9.420E-02
0.500E+00 0.000E+00
0.200E+01 0.000E+00
c
c .. Information for part 1
c
start
c
c ... Define index space for base soil
c
1 10 11 12 27; 1 2; 1 2 3 4 5;
0. 2.7 2.85 3.0 7.5
0. 0.10
0. 0.6 1.2 1.80 2.10
c
c ... define boundary conditions on bottom
c
b 1 1 1 5 2 1 101000
c
c ... place nonreflecting boundary at left hand side
c
nri -1; 1 2; 1 5;
c
c ... define master surface between base and bottom facing element
c
sii- 1 5; 1 2; -5; 32 m 8. 0. 0.
c
c ... define material used in part 1
c
mate 1
c
c ... end definition of part 1
c
end
c
c ... Information for part 2
c
start

```

```

c
c ... define index space for reinforced soil above and below reinforcement
c
1 16; 1 2; 1 2 3 4 0 6 7 8 9 10 11 12 0 14 15 16 17 18 19 20 0
22 23 24 25 26 27 28 0 30 31 32 33 34 35 36 0 38 39 40 41 42 43 44 0 46
47 48 49;
3.0 7.5
0. 0.1
2.10 2.31 2.41 2.4625 2.4625 2.4875 2.54 2.64 2.85 3.06
3.16 3.2125 3.2125 3.2375 3.29 3.39 3.6 3.81 3.91 3.9625
3.9625 3.9875 4.04 4.14 4.35 4.56 4.66 4.7125 4.7125 4.7375
4.79 4.89 5.1 5.31 5.41 5.4625 5.4625 5.4875 5.54 5.64 5.85
6.06 6.16 6.2125 6.2125 6.2375 6.29 6.39 6.6
c
c ... define slave surface for sliding between soil and wall
c
sii- -1; 1 2; 1 9; 25 s 8. 0.05 4.
sii- -1; 1 2; 9 17; 26 s 8. 0.05 4.
sii- -1; 1 2; 17 25; 27 s 8. 0.05 4.
sii- -1; 1 2; 25 33; 28 s 8. 0.05 4.
sii- -1; 1 2; 33 41; 29 s 8. 0.05 4.
sii- -1; 1 2; 41 49; 30 s 8. 0.05 4.
c
c ... define master surface between soil and reinforcement
c
sii- 1 2; 1 2; -4; 1 m 5. 0.05 0.
sii- 1 2; 1 2; -6; 2 m 5. 0.05 10.
sii- 1 2; 1 2; -12; 3 m 5. 0.05 0.
sii- 1 2; 1 2; -14; 4 m 5. 0.05 10.
sii- 1 2; 1 2; -20; 5 m 5. 0.05 0.
sii- 1 2; 1 2; -22; 6 m 5. 0.05 10.
sii- 1 2; 1 2; -28; 7 m 5. 0.05 0.
sii- 1 2; 1 2; -30; 8 m 5. 0.05 10.
sii- 1 2; 1 2; -36; 9 m 5. 0.05 0.
sii- 1 2; 1 2; -38; 10 m 5. 0.05 10.
sii- 1 2; 1 2; -44; 11 m 5. 0.05 0.
sii- 1 2; 1 2; -46; 12 m 5. 0.05 10.
c
c define slave interface tied with soil to right
c
sii+ -2; 1 2; 1 49; 13 s 10. 0.05 4.
c
c ... define sliding interface with roof
c
sii- 1 2; 1 2; -49; 33 s 5. 0.05 0.
c
c ... define material used in part 2
c
mate 1
c
c ... end definition of part 2
c
end
c

```



```

c ... Information for part 3
c
start
c
c ... define index space for reinforcement
c
1 31; 1 2; 1 4 0 6 9 0 11 14 0 16 19 0 21 24 0 26 29;
3.0 7.5
0. 0.1
2.4625 2.4875 2.4875 3.2125 3.2375 3.2375 3.9625 3.9875 3.9875
4.7125 4.7375 4.7375 5.4625 5.4875 5.4875 6.2125 6.2375
c
c ... define slave surface between reinforcement and soil
c
sii- 1 2; 1 2; -1; 1 s 5. 0.05 10.
sii- 1 2; 1 2; -2; 2 s 5. 0.05 0.
sii- 1 2; 1 2; -4; 3 s 5. 0.05 10.
sii- 1 2; 1 2; -5; 4 s 5. 0.05 0.
sii- 1 2; 1 2; -7; 5 s 5. 0.05 10.
sii- 1 2; 1 2; -8; 6 s 5. 0.05 0.
sii- 1 2; 1 2; -10; 7 s 5. 0.05 10.
sii- 1 2; 1 2; -11; 8 s 5. 0.05 0.
sii- 1 2; 1 2; -13; 9 s 5. 0.05 10.
sii- 1 2; 1 2; -14; 10 s 5. 0.05 0.
sii- 1 2; 1 2; -16; 11 s 5. 0.05 10.
sii- 1 2; 1 2; -17; 12 s 5. 0.05 0.
c
c ... define slave surface tied between reinforcement and wall
c
sii+ -1; 1 2; 1 2; 19 s 0. 0.05 4.
sii+ -1; 1 2; 4 5; 20 s 0. 0.05 4.
sii+ -1; 1 2; 7 8; 21 s 0. 0.05 4.
sii+ -1; 1 2; 10 11; 22 s 0. 0.05 4.
sii+ -1; 1 2; 13 14; 23 s 0. 0.05 4.
sii+ -1; 1 2; 16 17; 24 s 0. 0.05 4.
c
c ... define material used in part 3
c
mate 2
c
c ... end definition of part 3
c
end
c
c ... Information for part 4
c
start
c
c ... define index space for soil to right of reinforcement
c
1 6; 1 2; 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35;
7.5 8.0
0. 0.1

```

0. 0.6 1.2 1.80 2.10 2.31 2.41 2.54 2.64 2.85 3.06 3.16
 3.29 3.39 3.60 3.81 3.91 4.04 4.14 4.35 4.56 4.66 4.79 4.89
 5.10 5.31 5.41 5.54 5.64 5.85 6.06 6.16 6.29 6.39 6.6

C
 C ... define boundary condition at bottom
 C
 b 1 1 1 2 2 1 101000
 C
 C ... define master surfaces with soil to left
 C
 sii+ -1; 1 2; 5 35; 13 m 0. 0.05 4.
 C
 C ... define slave surface with rigid body to right
 C
 sii- -2; 1 2; 1 35; 31 s 0. 0. 4.
 C
 C ... define velocity loading
 C

fv	2 1 2	2 2 2	2	2.270e+00	-1.00	0.00	0.
fv	2 1 3	2 2 3	3	3.226e+00	-1.00	0.00	0.
fv	2 1 4	2 2 4	4	4.591e+00	-1.00	0.00	0.
fv	2 1 5	2 2 5	5	5.453e+00	-1.00	0.00	0.
fv	2 1 6	2 2 6	6	6.128e+00	-1.00	0.00	0.
fv	2 1 7	2 2 7	7	6.468e+00	-1.00	0.00	0.
fv	2 1 8	2 2 8	8	6.927e+00	-1.00	0.00	0.
fv	2 1 9	2 2 9	9	7.290e+00	-1.00	0.00	0.
fv	2 1 10	2 2 10	10	8.075e+00	-1.00	0.00	0.
fv	2 1 11	2 2 11	11	8.869e+00	-1.00	0.00	0.
fv	2 1 12	2 2 12	12	9.242e+00	-1.00	0.00	0.
fv	2 1 13	2 2 13	13	9.715e+00	-1.00	0.00	0.
fv	2 1 14	2 2 14	14	1.006e+01	-1.00	0.00	0.
fv	2 1 15	2 2 15	15	1.073e+01	-1.00	0.00	0.
fv	2 1 16	2 2 16	16	1.129e+01	-1.00	0.00	0.
fv	2 1 17	2 2 17	17	1.150e+01	-1.00	0.00	0.
fv	2 1 18	2 2 18	18	1.171e+01	-1.00	0.00	0.
fv	2 1 19	2 2 19	19	1.183e+01	-1.00	0.00	0.
fv	2 1 20	2 2 20	20	1.193e+01	-1.00	0.00	0.
fv	2 1 21	2 2 21	21	1.183e+01	-1.00	0.00	0.
fv	2 1 22	2 2 22	22	1.171e+01	-1.00	0.00	0.
fv	2 1 23	2 2 23	23	1.150e+01	-1.00	0.00	0.
fv	2 1 24	2 2 24	24	1.129e+01	-1.00	0.00	0.
fv	2 1 25	2 2 25	25	1.073e+01	-1.00	0.00	0.
fv	2 1 26	2 2 26	26	1.006e+01	-1.00	0.00	0.
fv	2 1 27	2 2 27	27	9.715e+00	-1.00	0.00	0.
fv	2 1 28	2 2 28	28	9.242e+00	-1.00	0.00	0.
fv	2 1 29	2 2 29	29	8.869e+00	-1.00	0.00	0.
fv	2 1 30	2 2 30	30	8.075e+00	-1.00	0.00	0.
fv	2 1 31	2 2 31	31	7.290e+00	-1.00	0.00	0.
fv	2 1 32	2 2 32	32	6.927e+00	-1.00	0.00	0.
fv	2 1 33	2 2 33	33	6.468e+00	-1.00	0.00	0.
fv	2 1 34	2 2 34	34	6.128e+00	-1.00	0.00	0.
fv	2 1 35	2 2 35	35	5.453e+00	-1.00	0.00	0.

C
 C ... define material used for part 4

```

c
mate 1
c
c ... end definition of part 4
c
end
c
c ... Information for part 5a
c
start
c
c define index space for concrete facing - bottom element (block)
c
1 3; 1 2; 1 4;
2.85 3.0
0. 0.1
2.10 2.85
c
c ... define slave surface under concrete wall
c
sii- 1 2; 1 2; -1; 1 s 3. 0.05 10.
c
c define master surface at top of element
c
sii- 1 2; 1 2; -2; 14 m 3. 0.05 0.
c
c ... define master surface with reinforcement
c
sii+ -2; 1 2; 1 2; 19 m 10. 0.05 4.
c
c ... define slave surface under concrete wall
c
sii- 1 2; 1 2; -1; 32 s 3. 0.05 10.
c
c ... define master surface between wall and soil elements
c
sii- -2; 1 2; 1 2; 25 m 0. 0.05 4.
c
c ... define material used for part 5a
c
mate 3
c
c ... end definition of part 5a
c
end
c
c ... Information for part 5b
c
start
c
c ... define index space for concrete facing - bottom element + 1
c
1 3; 1 2; 1 4;
2.85 3.0

```

```

0. 0.1
2.85 3.60
c
c ... define slave surface at bottom of element
c
sii- 1 2; 1 2; -1; 14 s 3. 0.05 10.
c
c ... define master surface at top of element
c
sii- 1 2; 1 2; -2; 15 m 3. 0.05 0.
c
c ... define master surface with reinforcement
c
sii+ -2; 1 2; 1 2; 20 m 10. 0.05 4.
c
c ... define master surface between wall and soil elements
c
sii- -2; 1 2; 1 2; 26 m 0. 0.05 4.
c
c ... define material used for part 5b
c
mate 3
c
c ... end definition of part 5b
c
end
c
c ... Information for part 5c
c
start
c
c define index space for concrete facing - bottom element + 2
c
1 3; 1 2; 1 4;
2.85 3.0
0. 0.1
3.60 4.35
c
c ... define slave surface at bottom of element
c
sii- 1 2; 1 2; -1; 15 s 3. 0.05 10.
c
c ... define master surface at top of element
c
sii- 1 2; 1 2; -2; 16 m 3. 0.05 0.
c
c ... define master surface with reinforcement
c
sii+ -2; 1 2; 1 2; 21 m 10. 0.05 4.
c
c ... define master surface between wall and soil elements
c
sii- -2; 1 2; 1 2; 27 m 0. 0.05 4.
c

```

```

c ... define material used for part 5c
c
mate 3
c
c ... end definition of part 5c
c
end
c
c ... Information for part 5d
c
start
c
c ... define index space for concrete facing - bottom element + 3
c
1 3; 1 2; 1 4;
2.85 3.0
0. 0.1
4.35 5.10
c
c ... define slave surface at bottom of element
c
sii- 1 2; 1 2; -1; 16 s 3. 0.05 10.
c
c ... define master surface at top of element
c
sii- 1 2; 1 2; -2; 17 m 3. 0.05 0.
c
c ... define master surface with reinforcement
c
sii+ -2; 1 2; 1 2; 22 m 10. 0.05 4.
c
c ... define master surface between wall and soil elements
c
sii- -2; 1 2; 1 2; 28 m 0. 0.05 4.
c
c ... define material used for part 5d
c
mate 3
c
c ... end definition of part 5d
c
end
c
c ... Information for part 5e
c
start
c
c ... define index space for concrete facing - bottom element + 4
c
1 3; 1 2; 1 4;
2.85 3.0
0. 0.1
5.10 5.85
c

```

```

c ... define slave surface at bottom of element
c
sii- 1 2; 1 2; -1; 17 s 3. 0.05 10.
c
c ... define master surface at top of element
c
sii- 1 2; 1 2; -2; 18 m 3. 0.05 0.
c
c ... define master surface with reinforcement
c
sii+ -2; 1 2; 1 2; 23 m 10. 0.05 4.
c
c ... define master surface between wall and soil elements
c
sii- -2; 1 2; 1 2; 29 m 0. 0.05 4.
c
c ... define material used for part 5e
c
mate 3
c
c ... end definition of part 5e
c
end
c
c ... Information for part 5f
c
start
c
c ... define index space for concrete facing - top element
c
1 3; 1 2; 1 4;
2.85 3.0
0. 0.1
5.85 6.60
c
c ... define slave surface at top with roof
c
sii- 1 2; 1 2; -2; 33 s 3. 0.05 0.
c
c ... define slave surface at bottom of element
c
sii- 1 2; 1 2; -1; 18 s 3. 0.05 10.
c
c ... define master surface with reinforcement
c
sii+ -2; 1 2; 1 2; 24 m 10. 0.05 4.
c
c ... define master surface between wall and soil elements
c
sii- -2; 1 2; 1 2; 30 m 0. 0.05 4.
c
c ... fix top of this facing element in x-direction
c
b 1 1 2 1 2 2 100000

```

```

c
c ... define material used in part 5f
c
mate 3
c
c ... end definition of part 5f
c
end
c
c ... Information for part 6
c
start
c
c ... define index space for elastic elements to right of mesh
c
1 3; 1 2; 1 11;
8.0 8.5
0. 0.1
0. 6.6
c
c ... define master surface between soil and rigid rhs
c
sii- -1; 1 2; 1 2; 31 m 10. 0. 4.
c
c ... define boundary conditions for rigid rhs
c
b 1 1 1 2 2 2 111111
c
c ... define material used for part 6
c
mate 3
c
c ... end definition of part 6
c
end
c
c ... Information for part 7
c
start
c
c define index space for roof
c
1 2; 1 2; 1 2;
2.0 3.15
0. 0.1
6.6 7.0
c
c ... fix roof in all directions
c
b 1 1 1 2 2 2 111111
c
c ... define master surface between roof and upper facing
c
sii- 1 2; 1 2; -1; 33 m 3. 0.05 10.

```

```

c
c ... define material used for part 7
c
mate 3
c
c ... end definition of part 7
c
end
c
c ... define material properties for soil (material #1)
c
mat 1 25
k 4.6e8
g 2.758e8
c alpha 0.
alpha 8.0e3
gamma 0.
c theta 0.2729
theta 0.263
beta 9.718e-8
r 2.5
d 9.718e-8
w 0.066
x0 1.3e6
nplot 3
ltype 1
t -6.895e3
ro 2000.
c
c ... end definition of material properties for soil
c
endmat
c
c ... define material properties for reinforcing (material #2)
c
mat 2 3
e 3.7e7
pr 0.4
sigy 3.6e6
etan 3.7e5
beta 0.
ro 1000.
c
c ... end definition of material properties for reinforcing
c
endmat
c
c ... define material properties for facing, roof and right hand side
c (Material #3)
c
mat 3 1
e 2.07e10
pr 0.25
ro 2720.

```



```

c
c ... end definition of material properties for facing roof and rhs
c
endmat
c
c ... end ingrid
c
end

c
c
c ... interactive commands necessary for generation of DYNA input deck
c
c
c
c ... remove redundant nodes between parts
c
tp 0.001
c
c ... additional interactive commands may be used to check the mesh
c
c
c ... generate DYNA input file
c
cont

```

C. EXAMPLE OF DYNA3D INPUT FILE

The following is an example of a DYNA3D input file. Lines beginning with `**comment*` were added by the authors. Lines beginning with just a `**` are comments generated by INGRID. Input data not generated by INGRID are clearly marked by `*comment*` lines.

```
parametric study - base input file (plane strain)                88 large
*                                                                88 large
*
*----- ANALYSIS INPUT DATA FOR DYNA3D 88 -----*
* Generated with INGRID version 10/17/89 by Robert Rainsberger.
*
*----- CONTROL CARD #1 -----*
*
* number of materials[1] nodal points[2] solid hexahedron elements[3] beam
* elements[4] 4-node shell elements[5] 8-node solid shell elements[6]
*   3       3520       1309       0       0       0
*
*----- CONTROL CARD #2 -----*
*
* number of time history blocks for nodes[1] hexahedron elements[2] beam
* elements[3] shell elements[4] thick shell elements[5] and report interval[6]
*   0   0   0   0   0   0
*comment* The number of time history blocks for nodes and elements has been
*comment* added by hand in this study, not generated by INGRID. The data for
*comment* Analysis PSI are shown below.
*   15  26   0   0   0   0
*comment*
*
*----- CONTROL CARD #3 -----*
*
* number of nodes in DYNA3D-JOY interface[1] number of sliding boundary
* planes[2] sliding boundary planes w/ failure[3] points in density vs depth
* curve[4] brode function flag[5] number of rigid body merge cards[6]
* nodal coordinate format[7]
*   0   0   0   0   0   0e20.9
*
*----- CONTROL CARD #4 -----*
*
* number of load curves[1] concentrated nodal loads[2] element sides having
* pressure loads applied[3] velocity/acceleration boundary condition cards[4]
```

```

* rigid walls (stonewalls)[5] nodal constraint cards[6] initial condition
* parameter[7] sliding interfaces[8] base acceleration in x[9] y[10] and
* z-direction[11] angular velocity about x[12] y[13] and z-axis[14] number of
* solid hexahedron elements for momentum deposit[15] detonation points[16]
  35    0    0    68    0    0    0    33    0    0    1    0    0    0    0    0
*
*----- CONTROL CARD #5 -----*
*
* termination time[1] time history dump interval[2] complete dump interval[3]
* time steps between restart dumps[4] time steps between running restart
* dumps[5] initial time step[6] sliding interface penalty factor[7] thermal
* effects option[8] default viscosity flag[9] computed time step factor[10]
  8.000E-02 4.000E-02 4.000E-02    0    0 0.000E+00 0.000E+00    0    0 0.000E+00
*
*----- CONTROL CARD #6 -----*
*
* number of joint definitions[1] rigid bodies with extra nodes[2] shell-
* solid interfaces[3] tie-breaking shell slidelines[4] tied node sets with
* failure[5] limiting time step load curve number[6] springs-dampers-masses
* flag[7] rigid bodies with inertial properties[8] dump shell strain flag[9]
* shadow burn flag[10] dump hydro variables flag[11] shell update[12]
* thickness[13] and theory options[14] number of nonreflecting
* boundary segments[15]
  0    0    0    0    0    0    0    0    0    0    0    0    0    0    4
*
*----- CONTROL CARD #7 -----*
*
* number of point constraint nodes[1] coordinate systems for constraint
* nodes[2] minimum step factor[3] number of beam integration rules[4]
* maximum integration points for beams[5] number of shell integration rules[6]
* maximum integration points for shells[7] relaxation iterations between
* checks[8] relaxation tolerance[9] dynamic relaxation factor[10] dynamic
* relaxation time step factor[11] 4-node shell time step option[12]
  0    0 0.000E+00    0    0    0    0 250 1.000E-04 9.950E-01 0.000E+00    0
*
*----- CONTROL CARD #8 -----*
*
* plane stress plasticity[1] printout flag[2] number of 1D slidelines[3]
  1    0    0
*comment* the mass proportional rayleigh damping term must be input by hand
*comment* in cols 21-30 on the above line since this cannot be done by INGRID.
*comment* the data for analysis PS1 is shown below:
  1    0    0    1.000e+01
*comment*
*
*----- MATERIAL CARDS -----*
*
  1  252.0000E+03    0  00.0000E+00  00.0000E+00 0.0000E+00 0 0 0
material type # 25 (invicid two invariant geologic cap model)
  4.600E+08 2.758E+08 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
  8.000E+03 2.630E-01 0.000E+00 9.718E-08 2.500E+00 0.000E+00 0.000E+00 0.000E+00
  9.718E-08 6.600E-02 1.300E+06 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
  3.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
  1.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00

```

```
-6.895E+03 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
2 31.0000E+03 0 00.0000E+00 00.0000E+00 0.000E+00 0 0 0
```

material type # 3 (Kinematic/Isotropic elastic plastic)

```
3.700E+07 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
4.000E-01 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
3.600E+06 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
3.700E+05 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
3 12.7200E+03 0 00.0000E+00 00.0000E+00 0.000E+00 0 0 0
```

material type # 1 (elastic)

```
2.070E+10 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
2.500E-01 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00
```

*

----- NODE DEFINITIONS -----

*

```
1 7. 0.00000000000000E+00 0.00000000000000E+00 0.00000000000000E+00 7.
2 2. 0.00000000000000E+00 0.00000000000000E+00 0.000002384186E-01 7.
3 7. 0.00000000000000E+00 1.0000000149012E-01 0.00000000000000E+00 7.
4 2. 0.00000000000000E+00 1.0000000149012E-01 6.0000002384186E-01 7.
```

comment

comment data for nodes 5-3516 are omitted so save space

comment

```
3517 7. 3.1500000953674E+00 0.00000000000000E+00 6.5999999046326E+00 7.
3518 7. 3.1500000953674E+00 0.00000000000000E+00 7.00000000000000E+00 7.
3519 7. 3.1500000953674E+00 1.0000000149012E-01 6.5999999046326E+00 7.
3520 7. 3.1500000953674E+00 1.0000000149012E-01 7.00000000000000E+00 7.
```

*

----- ELEMENT CARDS FOR SOLID ELEMENTS -----

*

```
1 1 1 5 7 3 2 6 8 4
2 1 5 9 11 7 6 10 12 8
3 1 9 13 15 11 10 14 16 12
4 1 13 17 19 15 14 18 20 16
```

comment

comment data for elements 5-1305 are omitted so save space

comment

```
1306 3 3477 3499 3510 3488 3478 3500 3511 3489
1307 3 3456 3478 3489 3467 3457 3479 3490 3468
1308 3 3478 3500 3511 3489 3479 3501 3512 3490
1309 3 3513 3517 3519 3515 3514 3518 3520 3516
```

comment

comment

comment Node time history blocks and element time history blocks were entered by

comment hand in this study. The data for analysis PSI are shown below:

comment

*comment**

----- NODE TIME HISTORY BLOCKS -----

*

```
109 109 3303 3303 3306 3306 3327 3327 3330 3330
```

3351	3351	3354	3354	3375	3375	3378	3378	3399	3399
3402	3402	3423	3423	3426	3426	911	911	879	879

*

----- SOLID ELEMENT TIME HISTORY BOCKS -----

*

360	374	1203	1203	1237	1237	645	645	675	675
705	705	735	735	765	765	795	795	825	825
855	855	885	885	915	915	945	945	975	975
1005	1005	1035	1035	1065	1065	1095	1095	1125	1125
1155	1155	285	285	300	300	315	315	330	330
345	345								

comment

comment load curve definitions are generated by INGRID

comment

*

----- LOAD CURVE DEFINITIONS -----

*

```

1      5
0.000E+00 0.000E+00
0.200E-01 0.100E+00
0.600E-01 0.900E+00
0.800E-01 0.100E+01
0.100E+02 0.100E+01
2      11
0.000E+00 0.000E+00
0.839E-01 0.000E+00
0.849E-01 0.100E+01
0.889E-01 0.886E+00
0.939E-01 0.781E+00
0.104E+00 0.599E+00
0.134E+00 0.221E+00
0.184E+00-0.590E-01
0.284E+00-0.127E+00
0.500E+00 0.000E+00
0.200E+01 0.000E+00
3      11
0.000E+00 0.000E+00
0.830E-01 0.000E+00
0.839E-01 0.100E+01
0.880E-01 0.874E+00
0.930E-01 0.760E+00
0.103E+00 0.564E+00
0.133E+00 0.174E+00
0.183E+00-0.865E-01
0.283E+00-0.116E+00
0.500E+00 0.000E+00
0.200E+01 0.000E+00
4      11
0.000E+00 0.000E+00
0.821E-01 0.000E+00
0.829E-01 0.100E+01
0.871E-01 0.860E+00
0.921E-01 0.736E+00
0.102E+00 0.525E+00

```

0.132E+00 0.126E+00
 0.182E+00-0.109E+00
 0.282E+00-0.102E+00
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 5 11
 0.000E+00 0.000E+00
 0.817E-01 0.000E+00
 0.824E-01 0.100E+01
 0.367E-01 0.853E+00
 0.917E-01 0.723E+00
 0.102E+00 0.505E+00
 0.132E+00 0.121E+00
 0.182E+00-0.117E+00
 0.282E+00-0.942E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 6 11
 0.000E+00 0.000E+00
 0.814E-01 0.000E+00
 0.821E-01 0.100E+01
 0.864E-01 0.848E+00
 0.914E-01 0.714E+00
 0.101E+00 0.491E+00
 0.131E+00 0.870E-01
 0.181E+00-0.122E+00
 0.281E+00-0.886E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 7 11
 0.000E+00 0.000E+00
 0.813E-01 0.000E+00
 0.820E-01 0.100E+01
 0.863E-01 0.846E+00
 0.913E-01 0.710E+00
 0.101E+00 0.484E+00
 0.131E+00 0.798E-01
 0.181E+00-0.124E+00
 0.281E+00-0.860E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 8 11
 0.000E+00 0.000E+00
 0.811E-01 0.000E+00
 0.818E-01 0.100E+01
 0.861E-01 0.843E+00
 0.911E-01 0.704E+00
 0.101E+00 0.476E+00
 0.131E+00 0.707E-01
 0.181E+00-0.126E+00
 0.281E+00-0.826E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 9 11

0.000E+00 0.000E+00
 0.810E-01 0.000E+00
 0.817E-01 0.100E+01
 0.860E-01 0.840E+00
 0.910E-01 0.700E+00
 0.101E+00 0.470E+00
 0.131E+00 0.640E-01
 0.181E+00-0.128E+00
 0.281E+00-0.801E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 10 11
 0.000E+00 0.000E+00
 0.808E-01 0.000E+00
 0.815E-01 0.100E+01
 0.858E-01 0.836E+00
 0.908E-01 0.692E+00
 0.101E+00 0.457E+00
 0.131E+00 0.507E-01
 0.181E+00-0.131E+00
 0.281E+00-0.749E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 11 11
 0.000E+00 0.000E+00
 0.806E-01 0.000E+00
 0.813E-01 0.100E+01
 0.856E-01 0.831E+00
 0.906E-01 0.683E+00
 0.101E+00 0.444E+00
 0.131E+00 0.386E-01
 0.181E+00-0.132E+00
 0.281E+00-0.702E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 12 11
 0.000E+00 0.000E+00
 0.805E-01 0.000E+00
 0.812E-01 0.100E+01
 0.855E-01 0.829E+00
 0.905E-01 0.680E+00
 0.101E+00 0.439E+00
 0.131E+00 0.334E-01
 0.181E+00-0.133E+00
 0.281E+00-0.682E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 13 11
 0.000E+00 0.000E+00
 0.804E-01 0.000E+00
 0.810E-01 0.100E+01
 0.854E-01 0.826E+00
 0.904E-01 0.675E+00
 0.100E+00 0.432E+00

0.130E+00 0.271E-01
 0.180E+00-0.134E+00
 0.280E+00-0.657E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 14 11
 0.000E+00 0.000E+00
 0.803E-01 0.000E+00
 0.810E-01 0.100E+01
 0.853E-01 0.824E+00
 0.903E-01 0.672E+00
 0.100E+00 0.428E+00
 0.130E+00 0.226E-01
 0.180E+00-0.134E+00
 0.280E+00-0.639E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 15 11
 0.000E+00 0.000E+00
 0.802E-01 0.000E+00
 0.808E-01 0.100E+01
 0.852E-01 0.821E+00
 0.902E-01 0.666E+00
 0.100E+00 0.419E+00
 0.130E+00 0.146E-01
 0.180E+00-0.135E+00
 0.280E+00-0.608E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 16 11
 0.000E+00 0.000E+00
 0.801E-01 0.000E+00
 0.807E-01 0.100E+01
 0.851E-01 0.818E+00
 0.901E-01 0.662E+00
 0.100E+00 0.412E+00
 0.130E+00 0.840E-02
 0.180E+00-0.135E+00
 0.280E+00-0.583E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 17 11
 0.000E+00 0.000E+00
 0.801E-01 0.000E+00
 0.807E-01 0.100E+01
 0.851E-01 0.817E+00
 0.901E-01 0.660E+00
 0.100E+00 0.409E+00
 0.130E+00 0.620E-02
 0.180E+00-0.135E+00
 0.280E+00-0.574E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 18 11

0.000E+00 0.000E+00
 0.800E-01 0.000E+00
 0.806E-01 0.100E+01
 0.850E-01 0.816E+00
 0.900E-01 0.658E+00
 0.100E+00 0.407E+00
 0.130E+00 0.390E-02
 0.180E+00-0.135E+00
 0.280E+00-0.565E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 19 11
 0.000E+00 0.000E+00
 0.800E-01 0.000E+00
 0.806E-01 0.100E+01
 0.850E-01 0.816E+00
 0.900E-01 0.657E+00
 0.100E+00 0.405E+00
 0.130E+00 0.270E-02
 0.180E+00-0.135E+00
 0.280E+00-0.560E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 20 11
 0.000E+00 0.000E+00
 0.800E-01 0.000E+00
 0.806E-01 0.100E+01
 0.850E-01 0.815E+00
 0.900E-01 0.656E+00
 0.100E+00 0.404E+00
 0.130E+00 0.160E-02
 0.180E+00-0.135E+00
 0.280E+00-0.556E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 21 11
 0.000E+00 0.000E+00
 0.800E-01 0.000E+00
 0.806E-01 0.100E+01
 0.850E-01 0.816E+00
 0.900E-01 0.657E+00
 0.100E+00 0.405E+00
 0.130E+00 0.270E-02
 0.180E+00-0.135E+00
 0.280E+00-0.560E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 22 11
 0.000E+00 0.000E+00
 0.800E-01 0.000E+00
 0.806E-01 0.100E+01
 0.850E-01 0.816E+00
 0.900E-01 0.658E+00
 0.100E+00 0.407E+00

0.130E+00 0.390E-02
 0.180E+00-0.135E+00
 0.280E+00-0.565E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 23 11
 0.000E+00 0.000E+00
 0.801E-01 0.000E+00
 0.807E-01 0.100E+01
 0.851E-01 0.817E+00
 0.901E-01 0.660E+00
 0.100E+00 0.409E+00
 0.130E+00 0.620E-02
 0.180E+00-0.135E+00
 0.280E+00-0.574E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 24 11
 0.000E+00 0.000E+00
 0.801E-01 0.000E+00
 0.807E-01 0.100E+01
 0.851E-01 0.818E+00
 0.901E-01 0.662E+00
 0.100E+00 0.412E+00
 0.130E+00 0.840E-02
 0.180E+00-0.135E+00
 0.280E+00-0.583E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 25 11
 0.000E+00 0.000E+00
 0.802E-01 0.000E+00
 0.808E-01 0.100E+01
 0.852E-01 0.821E+00
 0.902E-01 0.666E+00
 0.100E+00 0.419E+00
 0.130E+00 0.146E-01
 0.180E+00-0.135E+00
 0.280E+00-0.608E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 26 11
 0.000E+00 0.000E+00
 0.803E-01 0.000E+00
 0.810E-01 0.100E+01
 0.853E-01 0.824E+00
 0.903E-01 0.672E+00
 0.100E+00 0.428E+00
 0.130E+00 0.226E-01
 0.180E+00-0.134E+00
 0.280E+00-0.639E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 27 11

0.000E+00 0.000E+00
 0.804E-01 0.000E+00
 0.810E-01 0.100E+01
 0.854E-01 0.826E+00
 0.904E-01 0.675E+00
 0.100E+00 0.432E+00
 0.130E+00 0.271E-01
 0.180E+00-0.134E+00
 0.280E+00-0.657E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 28 11
 0.000E+00 0.000E+00
 0.805E-01 0.000E+00
 0.812E-01 0.100E+01
 0.855E-01 0.829E+00
 0.905E-01 0.680E+00
 0.101E+00 0.439E+00
 0.131E+00 0.334E-01
 0.181E+00-0.133E+00
 0.281E+00-0.682E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 29 11
 0.000E+00 0.000E+00
 0.806E-01 0.000E+00
 0.813E-01 0.100E+01
 0.856E-01 0.831E+00
 0.906E-01 0.683E+00
 0.101E+00 0.444E+00
 0.131E+00 0.386E-01
 0.181E+00-0.132E+00
 0.281E+00-0.702E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 30 11
 0.000E+00 0.000E+00
 0.808E-01 0.000E+00
 0.815E-01 0.100E+01
 0.858E-01 0.836E+00
 0.908E-01 0.692E+00
 0.101E+00 0.457E+00
 0.131E+00 0.507E-01
 0.181E+00-0.131E+00
 0.281E+00-0.749E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 31 11
 0.000E+00 0.000E+00
 0.810E-01 0.000E+00
 0.817E-01 0.100E+01
 0.860E-01 0.840E+00
 0.910E-01 0.700E+00
 0.101E+00 0.470E+00

0.131E+00 0.640E-01
 0.181E+00-0.128E+00
 0.281E+00-0.801E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 32 11
 0.000E+00 0.000E+00
 0.811E-01 0.000E+00
 0.818E-01 0.100E+01
 0.861E-01 0.843E+00
 0.911E-01 0.704E+00
 0.101E+00 0.476E+00
 0.131E+00 0.707E-01
 0.181E+00-0.126E+00
 0.281E+00-0.826E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 33 11
 0.000E+00 0.000E+00
 0.813E-01 0.000E+00
 0.820E-01 0.100E+01
 0.863E-01 0.846E+00
 0.913E-01 0.710E+00
 0.101E+00 0.484E+00
 0.131E+00 0.798E-01
 0.181E+00-0.124E+00
 0.281E+00-0.860E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 34 11
 0.000E+00 0.000E+00
 0.814E-01 0.000E+00
 0.821E-01 0.100E+01
 0.864E-01 0.848E+00
 0.914E-01 0.714E+00
 0.101E+00 0.491E+00
 0.131E+00 0.870E-01
 0.181E+00-0.122E+00
 0.282E+00-0.886E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 35 11
 0.000E+00 0.000E+00
 0.817E-01 0.000E+00
 0.824E-01 0.100E+01
 0.867E-01 0.853E+00
 0.917E-01 0.723E+00
 0.102E+00 0.505E+00
 0.132E+00 0.121E+00
 0.182E+00-0.117E+00
 0.282E+00-0.942E-01
 0.500E+00 0.000E+00
 0.200E+01 0.000E+00
 *

----- VELOCITY SPECIFICATION FOR NODES AND RIGID BODIES -----

3234	2	4	2.270E+00	-1.000E+00	0.000E+00	0.000E+00	0
3236	2	4	2.270E+00	-1.000E+00	0.000E+00	0.000E+00	0
3237	3	4	3.226E+00	-1.000E+00	0.000E+00	0.000E+00	0
3238	3	4	3.226E+00	-1.000E+00	0.000E+00	0.000E+00	0
3239	4	4	4.591E+00	-1.000E+00	0.000E+00	0.000E+00	0
3240	4	4	4.591E+00	-1.000E+00	0.000E+00	0.000E+00	0
3241	5	4	5.453E+00	-1.000E+00	0.000E+00	0.000E+00	0
3242	5	4	5.453E+00	-1.000E+00	0.000E+00	0.000E+00	0
3243	6	4	6.128E+00	-1.000E+00	0.000E+00	0.000E+00	0
3244	6	4	6.128E+00	-1.000E+00	0.000E+00	0.000E+00	0
3245	7	4	6.468E+00	-1.000E+00	0.000E+00	0.000E+00	0
3246	7	4	6.468E+00	-1.000E+00	0.000E+00	0.000E+00	0
3247	8	4	6.927E+00	-1.000E+00	0.000E+00	0.000E+00	0
3248	8	4	6.927E+00	-1.000E+00	0.000E+00	0.000E+00	0
3249	9	4	7.290E+00	-1.000E+00	0.000E+00	0.000E+00	0
3250	9	4	7.290E+00	-1.000E+00	0.000E+00	0.000E+00	0
3251	10	4	8.075E+00	-1.000E+00	0.000E+00	0.000E+00	0
3252	10	4	8.075E+00	-1.000E+00	0.000E+00	0.000E+00	0
3253	11	4	8.869E+00	-1.000E+00	0.000E+00	0.000E+00	0
3254	11	4	8.869E+00	-1.000E+00	0.000E+00	0.000E+00	0
3255	12	4	9.242E+00	-1.000E+00	0.000E+00	0.000E+00	0
3256	12	4	9.242E+00	-1.000E+00	0.000E+00	0.000E+00	0
3257	13	4	9.715E+00	-1.000E+00	0.000E+00	0.000E+00	0
3258	13	4	9.715E+00	-1.000E+00	0.000E+00	0.000E+00	0
3259	14	4	1.006E+01	-1.000E+00	0.000E+00	0.000E+00	0
3260	14	4	1.006E+01	-1.000E+00	0.000E+00	0.000E+00	0
3261	15	4	1.073E+01	-1.000E+00	0.000E+00	0.000E+00	0
3262	15	4	1.073E+01	-1.000E+00	0.000E+00	0.000E+00	0
3263	16	4	1.129E+01	-1.000E+00	0.000E+00	0.000E+00	0
3264	16	4	1.129E+01	-1.000E+00	0.000E+00	0.000E+00	0
3265	17	4	1.150E+01	-1.000E+00	0.000E+00	0.000E+00	0
3266	17	4	1.150E+01	-1.000E+00	0.000E+00	0.000E+00	0
3267	18	4	1.171E+01	-1.000E+00	0.000E+00	0.000E+00	0
3268	18	4	1.171E+01	-1.000E+00	0.000E+00	0.000E+00	0
3269	19	4	1.183E+01	-1.000E+00	0.000E+00	0.000E+00	0
3270	19	4	1.183E+01	-1.000E+00	0.000E+00	0.000E+00	0
3271	20	4	1.193E+01	-1.000E+00	0.000E+00	0.000E+00	0
3272	20	4	1.193E+01	-1.000E+00	0.000E+00	0.000E+00	0
3273	21	4	1.183E+01	-1.000E+00	0.000E+00	0.000E+00	0
3274	21	4	1.183E+01	-1.000E+00	0.000E+00	0.000E+00	0
3275	22	4	1.171E+01	-1.000E+00	0.000E+00	0.000E+00	0
3276	22	4	1.171E+01	-1.000E+00	0.000E+00	0.000E+00	0
3277	23	4	1.150E+01	-1.000E+00	0.000E+00	0.000E+00	0
3278	23	4	1.150E+01	-1.000E+00	0.000E+00	0.000E+00	0
3279	24	4	1.129E+01	-1.000E+00	0.000E+00	0.000E+00	0
3280	24	4	1.129E+01	-1.000E+00	0.000E+00	0.000E+00	0
3281	25	4	1.073E+01	-1.000E+00	0.000E+00	0.000E+00	0
3282	25	4	1.073E+01	-1.000E+00	0.000E+00	0.000E+00	0
3283	26	4	1.006E+01	-1.000E+00	0.000E+00	0.000E+00	0
3284	26	4	1.006E+01	-1.000E+00	0.000E+00	0.000E+00	0
3285	27	4	9.715E+00	-1.000E+00	0.000E+00	0.000E+00	0
3286	27	4	9.715E+00	-1.000E+00	0.000E+00	0.000E+00	0

3287	28	4	9.242E+00	-1.000E+00	0.000E+00	0.000E+00	0
3288	28	4	9.242E+00	-1.000E+00	0.000E+00	0.000E+00	0
3289	29	4	8.869E+00	-1.000E+00	0.000E+00	0.000E+00	0
3290	29	4	8.869E+00	-1.000E+00	0.000E+00	0.000E+00	0
3291	30	4	8.075E+00	-1.000E+00	0.000E+00	0.000E+00	0
3292	30	4	8.075E+00	-1.000E+00	0.000E+00	0.000E+00	0
3293	31	4	7.290E+00	-1.000E+00	0.000E+00	0.000E+00	0
3294	31	4	7.290E+00	-1.000E+00	0.000E+00	0.000E+00	0
3295	32	4	6.927E+00	-1.000E+00	0.000E+00	0.000E+00	0
3296	32	4	6.927E+00	-1.000E+00	0.000E+00	0.000E+00	0
3297	33	4	6.468E+00	-1.000E+00	0.000E+00	0.000E+00	0
3298	33	4	6.468E+00	-1.000E+00	0.000E+00	0.000E+00	0
3299	34	4	6.128E+00	-1.000E+00	0.000E+00	0.000E+00	0
3300	34	4	6.128E+00	-1.000E+00	0.000E+00	0.000E+00	0
3301	35	4	5.453E+00	-1.000E+00	0.000E+00	0.000E+00	0
3302	35	4	5.453E+00	-1.000E+00	0.000E+00	0.000E+00	0

----- SLIDING INTERFACE DEFINITIONS -----

32	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
30	15	3	9.000E-01	9.000E-01	0.000E+00	0	0	00.0E+000.0E+00
35	30	2	0.000E+00	0.000E+00	0.000E+00	0	0	00.0E+000.0E+00
2	2	3	1.500E+00	1.500E+00	0.000E+00	0	0	00.0E+000.0E+00
2	2	3	1.500E+00	1.500E+00	0.000E+00	0	0	00.0E+000.0E+00
2	2	3	1.500E+00	1.500E+00	0.000E+00	0	0	00.0E+000.0E+00
2	2	3	1.500E+00	1.500E+00	0.000E+00	0	0	00.0E+000.0E+00
2	2	3	1.500E+00	1.500E+00	0.000E+00	0	0	00.0E+000.0E+00
3	3	2	0.000E+00	0.000E+00	0.000E+00	0	0	00.0E+000.0E+00
3	3	2	0.000E+00	0.000E+00	0.000E+00	0	0	00.0E+000.0E+00
3	3	2	0.000E+00	0.000E+00	0.000E+00	0	0	00.0E+000.0E+00
3	3	2	0.000E+00	0.000E+00	0.000E+00	0	0	00.0E+000.0E+00
3	3	2	0.000E+00	0.000E+00	0.000E+00	0	0	00.0E+000.0E+00
3	3	2	0.000E+00	0.000E+00	0.000E+00	0	0	00.0E+000.0E+00
6	3	3	7.000E-01	7.000E-01	0.000E+00	0	0	00.0E+000.0E+00
6	3	3	7.000E-01	7.000E-01	0.000E+00	0	0	00.0E+000.0E+00
6	3	3	7.000E-01	7.000E-01	0.000E+00	0	0	00.0E+000.0E+00
6	3	3	7.000E-01	7.000E-01	0.000E+00	0	0	00.0E+000.0E+00
6	3	3	7.000E-01	7.000E-01	0.000E+00	0	0	00.0E+000.0E+00
6	3	3	7.000E-01	7.000E-01	0.000E+00	0	0	00.0E+000.0E+00
24	10	3	0.000E+00	0.000E+00	0.000E+00	0	0	00.0E+000.0E+00
2	26	3	1.500E+00	1.500E+00	0.000E+00	0	0	00.0E+000.0E+00
17	1	3	1.500E+00	1.500E+00	0.000E+00	0	0	00.0E+000.0E+00
1	1615	1619	1627	1623				
2	1622	1627	1635	1631				

3	1631	1635	1643	1639
4	1639	1643	1651	1647
5	1647	1651	1659	1655
6	1655	1659	1667	1663
7	1663	1667	1675	1671
8	1671	1675	1683	1679
9	1679	1683	1691	1687
10	1687	1691	1699	1695
11	1695	1699	1707	1703
12	1703	1707	1715	1711
13	1711	1715	1723	1719
14	1719	1723	1731	1727
15	1727	1731	1739	1735
16	1735	1739	1747	1743
17	1743	1747	1755	1751
18	1751	1755	1763	1759
19	1759	1763	1771	1767
20	1767	1771	1779	1775
21	1775	1779	1787	1783
22	1783	1787	1795	1791
23	1791	1795	1803	1799
24	1799	1803	1811	1807
25	1807	1811	1819	1815
26	1815	1819	1827	1823
27	1823	1827	1835	1831
28	1831	1835	1843	1839
29	1839	1843	1851	1847
30	1847	1851	1859	1855
31	3303	3307	3315	3311
32	3311	3315	3323	3319
1	335	337	338	336
2	337	339	340	338
3	339	341	342	340
4	341	343	344	342
5	343	345	346	344
6	345	347	348	346
7	347	349	350	348
8	349	351	352	350
9	351	353	354	352
10	353	355	356	354
11	355	357	358	356
12	357	359	360	358
13	359	361	362	360
14	361	363	364	362
15	363	365	366	364
1	1618	1626	1630	1622
2	1626	1634	1638	1630
3	1634	1642	1646	1638
4	1642	1650	1654	1646
5	1650	1658	1662	1654
6	1658	1666	1670	1662
7	1666	1674	1678	1670
8	1674	1682	1686	1678
9	1682	1690	1694	1686

10	1690	1598	1702	1694
11	1698	1706	1710	1702
12	1706	1714	1718	1710
13	1714	1722	1726	1718
14	1722	1730	1734	1726
15	1730	1738	1742	1734
16	1738	1746	1750	1742
17	1746	1754	1758	1750
18	1754	1762	1766	1758
19	1762	1770	1774	1766
20	1770	1778	1782	1774
21	1778	1786	1790	1782
22	1786	1794	1798	1790
23	1794	1802	1806	1798
24	1802	1810	1814	1806
25	1810	1818	1822	1814
26	1818	1826	1830	1822
27	1826	1834	1838	1830
28	1834	1842	1846	1838
29	1842	1850	1854	1846
30	1850	1858	1862	1854
1	367	369	373	371
2	371	373	377	375
3	375	377	381	379
4	379	381	385	383
5	383	385	389	387
6	387	389	393	391
7	391	393	397	395
8	395	397	401	399
9	399	401	405	403
10	403	405	409	407
11	407	409	413	411
12	411	413	417	415
13	415	417	421	419
14	419	421	425	423
15	423	425	429	427
1	1863	1867	1875	1871
2	1871	1875	1883	1879
3	1879	1883	1891	1887
4	1887	1891	1899	1895
5	1895	1899	1907	1903
6	1903	1907	1915	1911
7	1911	1915	1923	1919
8	1919	1923	1931	1927
9	1927	1931	1939	1935
10	1935	1939	1947	1943
11	1943	1947	1955	1951
12	1951	1955	1963	1959
13	1959	1963	1971	1967
14	1967	1971	1979	1975
15	1975	1979	1987	1983
16	1983	1987	1995	1991
17	1991	1995	2003	1999
18	1999	2003	2011	2007

19	2007	2011	2019	2015
20	2015	2019	2027	2023
21	2023	2027	2035	2031
22	2031	2035	2043	2039
23	2039	2043	2051	2047
24	2047	2051	2059	2055
25	2055	2059	2067	2063
26	2063	2067	2075	2071
27	2071	2075	2083	2079
28	2079	2083	2091	2087
29	2087	2091	2099	2095
30	2095	2099	2107	2103
1	559	561	562	560
2	561	563	564	562
3	563	565	566	564
4	565	567	568	566
5	567	569	570	568
6	569	571	572	570
7	571	573	574	572
8	573	575	576	574
9	575	577	578	576
10	577	579	580	578
11	579	581	582	580
12	581	583	584	582
13	583	585	586	584
14	585	587	588	586
15	587	589	590	588
1	1866	1874	1878	1870
2	1874	1882	1886	1878
3	1882	1890	1894	1886
4	1890	1898	1902	1894
5	1898	1906	1910	1902
6	1906	1914	1918	1910
7	1914	1922	1926	1918
8	1922	1930	1934	1926
9	1930	1938	1942	1934
10	1938	1946	1950	1942
11	1946	1954	1958	1950
12	1954	1962	1966	1958
13	1962	1970	1974	1966
14	1970	1978	1982	1974
15	1978	1986	1990	1982
16	1986	1994	1998	1990
17	1994	2002	2006	1998
18	2002	2010	2014	2006
19	2010	2018	2022	2014
20	2018	2026	2030	2022
21	2026	2034	2038	2030
22	2034	2042	2046	2038
23	2042	2050	2054	2046
24	2050	2058	2062	2054
25	2058	2066	2070	2062
26	2066	2074	2078	2070
27	2074	2082	2086	2078

28	2082	2090	2094	2086
29	2090	2098	2102	2094
30	2098	2106	2110	2102
1	591	593	597	595
2	595	597	601	599
3	599	601	605	603
4	603	605	609	607
5	607	609	613	611
6	611	613	617	615
7	615	617	621	619
8	619	621	625	623
9	623	625	629	627
10	627	629	633	631
11	631	633	637	635
12	635	637	641	639
13	639	641	645	643
14	643	645	649	647
15	647	649	653	651
1	2111	2115	2123	2119
2	2119	2123	2131	2127
3	2127	2131	2139	2135
4	2135	2139	2147	2143
5	2143	2147	2155	2151
6	2151	2155	2163	2159
7	2159	2163	2171	2167
8	2167	2171	2179	2175
9	2175	2179	2187	2183
10	2183	2187	2195	2191
11	2191	2195	2203	2199
12	2199	2203	2211	2207
13	2207	2211	2219	2215
14	2215	2219	2227	2223
15	2223	2227	2235	2231
16	2231	2235	2243	2239
17	2239	2243	2251	2247
18	2247	2251	2259	2255
19	2255	2259	2267	2263
20	2263	2267	2275	2271
21	2271	2275	2283	2279
22	2279	2283	2291	2287
23	2287	2291	2299	2295
24	2295	2299	2307	2303
25	2303	2307	2315	2311
26	2311	2315	2323	2319
27	2319	2323	2331	2327
28	2327	2331	2339	2335
29	2335	2339	2347	2343
30	2343	2347	2355	2351
1	783	785	786	784
2	785	787	788	786
3	787	789	790	788
4	789	791	792	790
5	791	793	794	792
6	793	795	796	794

7	795	797	798	796
8	797	799	800	798
9	799	801	802	800
10	801	803	804	802
11	803	805	806	804
12	805	807	808	806
13	807	809	810	808
14	809	811	812	810
15	811	813	814	812
1	2114	2122	2126	2118
2	2122	2130	2134	2126
3	2130	2138	2142	2134
4	2138	2146	2150	2142
5	2146	2154	2158	2150
6	2154	2162	2166	2158
7	2162	2170	2174	2166
8	2170	2178	2182	2174
9	2178	2186	2190	2182
10	2186	2194	2198	2190
11	2194	2202	2206	2198
12	2202	2210	2214	2206
13	2210	2218	2222	2214
14	2218	2226	2230	2222
15	2226	2234	2238	2230
16	2234	2242	2246	2238
17	2242	2250	2254	2246
18	2250	2258	2262	2254
19	2258	2266	2270	2262
20	2266	2274	2278	2270
21	2274	2282	2286	2278
22	2282	2290	2294	2286
23	2290	2298	2302	2294
24	2298	2306	2310	2302
25	2306	2314	2318	2310
26	2314	2322	2326	2318
27	2322	2330	2334	2326
28	2330	2338	2342	2334
29	2338	2346	2350	2342
30	2346	2354	2358	2350
1	815	817	821	819
2	819	821	825	823
3	823	825	829	827
4	827	829	833	831
5	831	833	837	835
6	835	837	841	839
7	839	841	845	843
8	843	845	849	847
9	847	849	853	851
10	851	853	857	855
11	855	857	861	859
12	859	861	865	863
13	863	865	869	867
14	867	869	87	871
15	871	873	877	875

1	2359	2363	2371	2367
2	2367	2371	2379	2375
3	2375	2379	2387	2383
4	2383	2387	2395	2391
5	2391	2395	2403	2399
6	2399	2403	2411	2407
7	2407	2411	2419	2415
8	2415	2419	2427	2423
9	2423	2427	2435	2431
10	2431	2435	2443	2439
11	2439	2443	2451	2447
12	2447	2451	2459	2455
13	2455	2459	2467	2463
14	2463	2467	2475	2471
15	2471	2475	2483	2479
16	2479	2483	2491	2487
17	2487	2491	2499	2495
18	2495	2499	2507	2503
19	2503	2507	2515	2511
20	2511	2515	2523	2519
21	2519	2523	2531	2527
22	2527	2531	2539	2535
23	2535	2539	2547	2543
24	2543	2547	2555	2551
25	2551	2555	2563	2559
26	2559	2563	2571	2567
27	2567	2571	2579	2575
28	2575	2579	2587	2583
29	2583	2587	2595	2591
30	2591	2595	2603	2599
1	1007	1009	1010	1008
2	1009	1011	1012	1010
3	1011	1013	1014	1012
4	1013	1015	1016	1014
5	1015	1017	1018	1016
6	1017	1019	1020	1018
7	1019	1021	1022	1020
8	1021	1023	1024	1022
9	1023	1025	1026	1024
10	1025	1027	1028	1026
11	1027	1029	1030	1028
12	1029	1031	1032	1030
13	1031	1033	1034	1032
14	1033	1035	1036	1034
15	1035	1037	1038	1036
1	2362	2370	2374	2366
2	2370	2378	2382	2374
3	2378	2386	2390	2382
4	2386	2394	2398	2390
5	2394	2402	2406	2398
6	2402	2410	2414	2406
7	2410	2418	2422	2414
8	2418	2426	2430	2422
9	2426	2434	2438	2430

10	2434	2442	2446	2438
11	2442	2450	2454	2446
12	2450	2458	2462	2454
13	2458	2466	2470	2462
14	2466	2474	2478	2470
15	2474	2482	2486	2478
16	2482	2490	2494	2486
17	2490	2498	2502	2494
18	2498	2506	2510	2502
19	2506	2514	2518	2510
20	2514	2522	2526	2518
21	2522	2530	2534	2526
22	2530	2538	2542	2534
23	2538	2546	2550	2542
24	2546	2554	2558	2550
25	2554	2562	2566	2558
26	2562	2570	2574	2566
27	2570	2578	2582	2574
28	2578	2586	2590	2582
29	2586	2594	2598	2590
30	2594	2602	2606	2598
1	1039	1041	1045	1043
2	1043	1045	1049	1047
3	1047	1049	1053	1051
4	1051	1053	1057	1055
5	1055	1057	1061	1059
6	1059	1061	1065	1063
7	1063	1065	1069	1067
8	1067	1069	1073	1071
9	1071	1073	1077	1075
10	1075	1077	1081	1079
11	1079	1081	1085	1083
12	1083	1085	1089	1087
13	1087	1089	1093	1091
14	1091	1093	1097	1095
15	1095	1097	1101	1099
1	2607	2611	2619	2615
2	2615	2619	2627	2623
3	2623	2627	2635	2631
4	2631	2635	2643	2639
5	2639	2643	2651	2647
6	2647	2651	2659	2655
7	2655	2659	2667	2663
8	2663	2667	2675	2671
9	2671	2675	2683	2679
10	2679	2683	2691	2687
11	2687	2691	2699	2695
12	2695	2699	2707	2703
13	2703	2707	2715	2711
14	2711	2715	2723	2719
15	2719	2723	2731	2727
16	2727	2731	2739	2735
17	2735	2739	2747	2743
18	2743	2747	2755	2751

19	2751	2755	2763	2759
20	2759	2763	2771	2767
21	2767	2771	2779	2775
22	2775	2779	2787	2783
23	2783	2787	2795	2791
24	2791	2795	2803	2799
25	2799	2803	2811	2807
26	2807	2811	2819	2815
27	2815	2819	2827	2823
28	2823	2827	2835	2831
29	2831	2835	2843	2839
30	2839	2843	2851	2847
1	1231	1233	1234	1232
2	1233	1235	1236	1234
3	1235	1237	1238	1236
4	1237	1239	1240	1238
5	1239	1241	1242	1240
6	1241	1243	1244	1242
7	1243	1245	1246	1244
8	1245	1247	1248	1246
9	1247	1249	1250	1248
10	1249	1251	1252	1250
11	1251	1253	1254	1252
12	1253	1255	1256	1254
13	1255	1257	1258	1256
14	1257	1259	1260	1258
15	1259	1261	1262	1260
1	2610	2618	2622	2614
2	2618	2626	2630	2622
3	2626	2634	2638	2630
4	2634	2642	2646	2638
5	2642	2650	2654	2646
6	2650	2658	2662	2654
7	2658	2666	2670	2662
8	2666	2674	2678	2670
9	2674	2682	2686	2678
10	2682	2690	2694	2686
11	2690	2698	2702	2694
12	2698	2706	2710	2702
13	2706	2714	2718	2710
14	2714	2722	2726	2718
15	2722	2730	2734	2726
16	2730	2738	2742	2734
17	2738	2746	2750	2742
18	2746	2754	2758	2750
19	2754	2762	2766	2758
20	2762	2770	2774	2766
21	2770	2778	2782	2774
22	2778	2786	2790	2782
23	2786	2794	2798	2790
24	2794	2802	2806	2798
25	2802	2810	2814	2806
26	2810	2818	2822	2814
27	2818	2826	2830	2822

28	2826	2834	2838	2830
29	2834	2842	2846	2838
30	2842	2850	2854	2846
1	1263	1265	1269	1267
2	1267	1269	1273	1271
3	1271	1273	1277	1275
4	1275	1277	1281	1279
5	1279	1281	1285	1283
6	1283	1285	1289	1287
7	1287	1289	1293	1291
8	1291	1293	1297	1295
9	1295	1297	1301	1299
10	1299	1301	1305	1303
11	1303	1305	1309	1307
12	1307	1309	1313	1311
13	1311	1313	1317	1315
14	1315	1317	1321	1319
15	1319	1321	1325	1323
1	2855	2859	2867	2863
2	2863	2867	2875	2871
3	2871	2875	2883	2879
4	2879	2883	2891	2887
5	2887	2891	2899	2895
6	2895	2899	2907	2903
7	2903	2907	2915	2911
8	2911	2915	2923	2919
9	2919	2923	2931	2927
10	2927	2931	2939	2935
11	2935	2939	2947	2943
12	2943	2947	2955	2951
13	2951	2955	2963	2959
14	2959	2963	2971	2967
15	2967	2971	2979	2975
16	2975	2979	2987	2983
17	2983	2987	2995	2991
18	2991	2995	3003	2999
19	2999	3003	3011	3007
20	3007	3011	3019	3015
21	3015	3019	3027	3023
22	3023	3027	3035	3031
23	3031	3035	3043	3039
24	3039	3043	3051	3047
25	3047	3051	3059	3055
26	3055	3059	3067	3063
27	3063	3067	3075	3071
28	3071	3075	3083	3079
29	3079	3083	3091	3087
30	3087	3091	3099	3095
1	1455	1457	1458	1456
2	1457	1459	1460	1458
3	1459	1461	1462	1460
4	1461	1463	1464	1462
5	1463	1465	1466	1464
6	1465	1467	1468	1466

7	1467	1469	1470	1468
8	1469	1471	1472	1470
9	1471	1473	1474	1472
10	1473	1475	1476	1474
11	1475	1477	1478	1476
12	1477	1479	1480	1478
13	1479	1481	1482	1480
14	1481	1483	1484	1482
15	1483	1485	1486	1484
1	2858	2866	2870	2862
2	2866	2874	2878	2870
3	2874	2882	2886	2878
4	2882	2890	2894	2886
5	2890	2898	2902	2894
6	2898	2906	2910	2902
7	2906	2914	2918	2910
8	2914	2922	2926	2918
9	2922	2930	2934	2926
10	2930	2938	2942	2934
11	2938	2946	2950	2942
12	2946	2954	2958	2950
13	2954	2962	2966	2958
14	2962	2970	2974	2966
15	2970	2978	2982	2974
16	2978	2986	2990	2982
17	2986	2994	2998	2990
18	2994	3002	3006	2998
19	3002	3010	3014	3006
20	3010	3018	3022	3014
21	3018	3026	3030	3022
22	3026	3034	3038	3030
23	3034	3042	3046	3038
24	3042	3050	3054	3046
25	3050	3058	3062	3054
26	3058	3066	3070	3062
27	3066	3074	3078	3070
28	3074	3082	3086	3078
29	3082	3090	3094	3086
30	3090	3098	3102	3094
1	1487	1499	1493	1491
2	1491	1493	1497	1495
3	1495	1497	1501	1499
4	1499	1501	1505	1502
5	1503	1505	1509	1507
6	1507	1509	1513	1511
7	1511	1513	1517	1515
8	1515	1517	1521	1519
9	1519	1521	1525	1523
10	1523	1525	1529	1527
11	1527	1529	1533	1531
12	1531	1533	1537	1535
13	1535	1537	1541	1539
14	1539	1541	1545	1543
15	1543	1545	1549	1547

1	269	270	302	301
2	301	302	334	333
3	333	334	366	365
4	427	429	430	428
5	428	430	462	461
6	461	462	494	493
7	493	494	526	525
8	525	526	558	557
9	557	558	590	589
10	651	653	654	652
11	652	654	686	685
12	685	686	718	717
13	717	718	750	749
14	749	750	782	781
15	781	782	814	813
16	875	877	878	876
17	876	878	910	909
18	909	910	942	941
19	941	942	974	973
20	973	974	1006	1005
21	1005	1006	1038	1037
22	1099	1101	1102	1100
23	1100	1102	1134	1133
24	1133	1134	1166	1165
25	1165	1166	1198	1197
26	1197	1198	1230	1229
27	1229	1230	1252	1261
28	1323	1325	1326	1324
29	1324	1326	1358	1357
30	1357	1358	1390	1389
31	1389	1390	1422	1421
32	1421	1422	1454	1453
33	1453	1454	1486	1485
34	1547	1549	1550	1548
35	1548	1550	1582	1581
36	1581	1582	1614	1613
1	269	3113	3114	270
2	3113	3117	3118	3114
3	3117	3121	3122	3118
4	3121	3125	3126	3122
5	3125	3129	3130	3126
6	3129	3133	3134	3130
7	3133	3137	3138	3134
8	3137	3141	3142	3138
9	3141	3145	3146	3142
10	3145	3149	3150	3146
11	3149	3153	3154	3150
12	3153	3157	3158	3154
13	3157	3161	3162	3158
14	3161	3165	3166	3162
15	3165	3169	3170	3166
16	3169	3173	3174	3170
17	3173	3177	3178	3174
18	3177	3181	3182	3178

19	3181	3185	3186	3182
20	3185	3189	3190	3186
21	3189	3193	3194	3190
22	3193	3197	3198	3194
23	3197	3201	3202	3198
24	3201	3205	3206	3202
25	3205	3209	3210	3206
26	3209	3213	3214	3210
27	3213	3217	3218	3214
28	3217	3221	3222	3218
29	3221	3225	3226	3222
30	3225	3229	3230	3226
1	3327	3331	3339	3335
2	3335	3339	3347	3343
1	3306	3314	3318	3310
2	3314	3322	3326	3318
1	3351	3355	3363	3359
2	3359	3363	3371	3367
1	3330	3338	3342	3334
2	3338	3346	3350	3342
1	3375	3379	3387	3383
2	3383	3387	3395	3391
1	3354	3362	3366	3358
2	3362	3370	3374	3366
1	3399	3403	3411	3407
2	3407	3411	3419	3415
1	3378	3386	3390	3382
2	3386	3394	3398	3390
1	3423	3427	3435	3431
2	3431	3435	3443	3439
1	3402	3410	3414	3406
2	3410	3418	3422	3414
1	1615	1616	1620	1619
2	1616	1617	1621	1620
3	1617	1618	1622	1621
1	3319	3323	3324	3320
2	3320	3324	3325	3321
3	3321	3325	3326	3322
1	1863	1864	1868	1867
2	1864	1865	1869	1868
3	1865	1866	1870	1869
1	3343	3347	3348	3344
2	3344	3348	3349	3345
3	3345	3349	3350	3346
1	2111	2112	2116	2115
2	2112	2113	2117	2116
3	2113	2114	2118	2117
1	3367	3371	3372	3368
2	3368	3372	3373	3369
3	3369	3373	3374	3370
1	2359	2360	2364	2363
2	2360	2361	2365	2364
3	2361	2362	2366	2365
1	3391	3395	3396	3392

2	3392	3396	3397	3393
3	3393	3397	3398	3394
1	2607	2608	2612	2611
2	2608	2609	2613	2612
3	2609	2610	2614	2613
1	3415	3419	3420	3416
2	3416	3420	3421	3417
3	3417	3421	3422	3418
1	2855	2856	2860	2859
2	2856	2857	2861	2860
3	2857	2858	2862	2861
1	3439	3443	3444	3440
2	3440	3444	3445	3441
3	3441	3445	3446	3442
1	119	271	272	120
2	271	303	304	272
3	303	335	336	304
4	367	368	370	369
5	368	431	432	370
6	431	463	464	432
1	3319	3323	3324	3320
2	3320	3324	3325	3321
3	3321	3325	3326	3322
1	463	495	496	464
2	495	527	528	496
3	527	559	560	528
4	591	592	594	593
5	592	655	656	594
6	655	687	688	656
1	3343	3347	3348	3344
2	3344	3348	3349	3345
3	3345	3349	3350	3346
1	687	719	720	638
2	719	751	752	720
3	751	783	784	752
4	815	816	818	817
5	816	879	880	818
6	879	911	912	880
1	3367	3371	3372	3368
2	3368	3372	3373	3369
3	3369	3373	3374	3370
1	911	943	944	912
2	943	975	976	944
3	975	1007	1008	976
4	1039	1040	1042	1041
5	1040	1103	1104	1042
6	1103	1135	1136	1104
1	3391	3395	3396	3392
2	3392	3396	3397	3393
3	3393	3397	3398	3394
1	1135	1167	1168	1136
2	1167	1199	1200	1168
3	1199	1231	1232	1200
4	1263	1264	1266	1265

5	1264	1327	1328	1266
6	1327	1359	1360	1328
1	3415	3419	3420	3416
2	3416	3420	3421	3417
3	3417	3421	3422	3418
1	1359	1391	1392	1360
2	1391	1423	1424	1392
3	1423	1455	1456	1424
4	1497	1488	1490	1489
5	1488	1551	1552	1490
6	1551	1583	1584	1552
1	3439	3443	3444	3440
2	3440	3444	3445	3441
3	3441	3445	3446	3442
1	3233	3235	3236	3234
2	3234	3236	3238	3237
3	3237	3238	3240	3239
4	3239	3240	3242	3241
5	3241	3242	3244	3243
6	3243	3244	3246	3245
7	3245	3246	3248	3247
8	3247	3248	3250	3249
9	3249	3250	3252	3251
10	3251	3252	3254	3253
11	3253	3254	3256	3255
12	3255	3256	3258	3257
13	3257	3258	3260	3259
14	3259	3260	3262	3261
15	3261	3262	3264	3263
16	3263	3264	3266	3265
17	3265	3266	3268	3267
18	3267	3268	3270	3269
19	3269	3270	3272	3271
20	3271	3272	3274	3273
21	3273	3274	3276	3275
22	3275	3276	3278	3277
23	3277	3278	3280	3279
24	3279	3280	3282	3281
25	3281	3282	3284	3283
26	3283	3284	3286	3285
27	3285	3286	3288	3287
28	3287	3288	3290	3289
29	3289	3290	3292	3291
30	3291	3292	3294	3293
31	3293	3294	3296	3295
32	3295	3296	3298	3297
33	3297	3298	3300	3299
34	3299	3300	3302	3301
1	3447	3448	3459	3458
2	3448	3449	3460	3459
3	3449	3450	3461	3460
4	3450	3451	3462	3461
5	3451	3452	3463	3462
6	3452	3453	3464	3463

7	3453	3454	3465	3464
8	3454	3455	3466	3465
9	3455	3456	3467	3466
10	3456	3457	3468	3467
1	3303	3307	3315	3311
2	3311	3315	3323	3319
1	81	83	84	82
2	83	85	86	84
3	85	87	88	86
4	87	89	90	88
5	89	91	92	90
6	91	93	94	92
7	93	95	96	94
8	95	97	98	96
9	97	99	100	98
10	99	109	110	100
11	109	119	120	110
12	119	241	242	120
13	241	243	244	242
14	243	245	246	244
15	245	247	248	246
16	247	249	250	248
17	249	251	252	250
18	251	253	254	252
19	253	255	256	254
20	255	257	258	256
21	257	259	260	258
22	259	261	262	260
23	261	263	264	262
24	263	265	266	264
25	265	267	268	266
26	267	269	270	268
1	1583	1585	1586	1584
2	1585	1587	1588	1586
3	1587	1589	1590	1588
4	1589	1591	1592	1590
5	1591	1593	1594	1592
6	1593	1595	1596	1594
7	1595	1597	1598	1596
8	1597	1599	1600	1598
9	1599	1601	1602	1600
10	1601	1603	1604	1602
11	1603	1605	1606	1604
12	1605	1607	1608	1606
13	1607	1609	1610	1608
14	1609	1611	1612	1610
15	1611	1613	1614	1612
16	3426	3434	3438	3430
17	3434	3442	3446	3438
1	3513	3515	3519	3517

----- BASE ACCELERATION IN z-DIRECTION -----

1 9.810E+00

*
 ----- NONREFLECTING BOUNDARY SEGMENTS -----
 *

1	1	2	4	3
2	2	41	42	4
3	41	61	62	42
4	61	81	82	62

D. DEFORMED WALL GEOMETRIES

The deformed shape of each wall analyzed in the numerical study (except for PS1 which is shown in Volume 1, page 137) is presented in Figures 93-106. The time at which the deformed mesh is shown varies from 0.41 to 1.03 seconds due to differences in the length of time it took for each wall to stop moving.




Figure 93. Deformed Shape or Mesh at 0.46 Seconds -
Analysis PS2 (weak reinforcement).




Figure 94. Deformed Shape of Mesh at 0.41 Seconds-
Analysis PS3 (strong reinforcement).




Figure 95. Deformed Shape of Mesh at 0.41 Seconds - Analysis PS4 (short reinforcement).




Figure 96. Deformed Shape of Mesh at 0.43 Seconds-
Analysis PS5 (no roof).




Figure 97. Deformed Shape of Mesh at 0.41 Seconds-
Analysis PS6 (197 lb @ 20 ft).




Figure 98. Deformed Shape of Mesh at 0.31 Seconds-
Analysis PS7 (500 lb @ 10 ft).




Figure 99. Deformed Shape of Mesh at 0.41 Seconds-
Analysis PS8 (500 lb @ 20 ft).




Figure 100. Deformed Shape of Mesh at 0.41 Seconds--
Analysis PS9 (500 lb @ 40 ft).




Figure 101. Deformed Shape of Mesh at 0.41 Seconds -
Analysis PS1B (weapon @ base).




Figure 102. Deformed Shape of Mesh at 1.03 Seconds -
Analysis PS1N (no gravity).




Figure 103. Deformed Shape of Mesh at 0.41 Seconds-
Analysis PS15 (low interface friction).




Figure 104. Deformed Shape of Mesh at 0.41 Seconds - Analysis PS1W (low soil stiffness).




Figure 105. Deformed Shape of Mesh at 0.41 Seconds-
Analysis P1PHI (high soil friction angle).




Figure 106. Deformed Shape of Mesh at 0.41 Seconds - Analysis PSIP (3 facing panels).

APPENDIX C

PHYSICAL MODELING


A. INTRODUCTION

Appendix C contains a compilation of resistor, pressure gage, and accelerometer data collected and photographs taken throughout the centrifuge testing program. Appendix C is organized as follows:

- acceleration-, voltage-, and pressure-time histories for the centrifuge testing program are presented in Section B.
- model construction sequence, pre-shot and post-shot photographs of the reinforced soil walls for selected tests are presented in Section C.

B. INSTRUMENT DATA

Acceleration-time histories for panels T6, M6, and B6 are presented below for all production tests. Peak panel accelerations were read directly and blast wave velocities were calculated from these plots. Voltage-time histories for the replicate testing are presented. Peak pressures and blast wave velocities were calculated from these plots. Pressure-time histories for the two pressure gages used in the replicate tests are presented. Peak pressures were read directly and blast wave velocities were calculated from these plots.




A-1 TRIGGER OCCURRED 14.561820 SECONDS AFTER START
 24 APR 92

LEGEND:
 A-1

Time= .003432 G's =-2209.012939


Figure 107. Acceleration-Time History: Test 1, Panel T6.



A-2 TRIGGER OCCURRED 14.561820 SECONDS AFTER START
 24 APR 92

Time= .003540 G's = -1504.262085


Figure 108. Acceleration-Time History: Test 1, Panel M6.



A-3 TRIGGER OCCURRED 14.561820 SECONDS AFTER START
 24 APR 92
 LEGEND:
 A-3

Time= .003460 G's =-2377.840088

Figure 109. Acceleration-Time History: Test 1, Panel B6.




A-1 TRIGGER OCCURRED 18.123056 SECONDS AFTER START
 27 APR 92

LEGEND:
 A-1

Time= .000446 G's = -4405.256836


Figure 110. Acceleration-Time History: Test 2, Panel T6.



A-2 TRIGGER OCCURRED 18.123056 SECONDS AFTER START
 27 APR 92

Time= .006536 G's = -3370.864582

Figure 111. Acceleration-Time History: Test 2, Panel M6.




A 3 TRIGGER OCCURRED 13.123056 SECONDS AFTER START
 27 APR 92

LEGEND:
 A-3

Time= .000502 G's =-5450.197754

Figure 112. Acceleration-Time History: Test 2, Panel B6.




A-1 TRIGGER OCCURRED 15.520102 SECONDS AFTER START
 29 APR 92

LEGEND:
 A-1

Time= .001382 G's = 26150.626953

Figure 113. Acceleration-Time History: Test 3, Panel T6.




A-2 TRIGGER OCCURRED 15.520102 SECONDS AFTER START
 29 APR 92

LEGEND:
 A-2

Time= .000500 G's = -1690.922241

Figure 114. Acceleration-Time History: Test 3, Panel M6.




A-3 TRIGGER OCCURRED 15.520102 SECONDS AFTER START
 29 APR 91

LEGEND:
 A-3

Time= .000510 G's =-3955.219238

Figure 115. Acceleration-Time History: Test 3, Panel B6.




A-1 TRIGGER OCCURRED 10.174528 SECONDS AFTER START
 1 MAY 92

LEGEND:
 A-1

Time= .000464 G's = -4392.488281


Figure 116. Acceleration-Time History: Test 4, Panel T6.



A-2 TRIGGER OCCURRED 10.174528 SECONDS AFTER START
 1 MAY 92

Time= .000544 G's =-2887.743896


Figure 117. Acceleration-Time History: Test 4, Panel M5.



A-3 TRIGGER OCCURRED 10.174528 SECONDS AFTER START
 1 MAY 92

Time= .000498 G's =-4484.936035

Figure 118. Acceleration-Time History: Test 4, Panel B6.




A-1 TRIGGER OCCURRED 15.773881 SECONDS AFTER START
 5 MAY 92

LEGEND:
 A-1

Time= .000482 G's =-2694.229736

Figure 119. Acceleration-Time History: Test 5, Panel T6.




A-2 TRIGGER OCCURRED 15.773801 SECONDS AFTER START
 5 MAY 92

LEGEND:
 A-2

Time= .000629 G's =-1592.102173

Figure 120. Acceleration-Time History: Test 5, Panel M6.




A-3 TRIGGER OCCURRED 15.773801 SECONDS AFTER START
 5 MAY 92

LEGEND:
 A-3

Time= .000532 G's = -2719.213135

Figure 121. Acceleration-Time History: Test 5, Panel B6.




A-1 TRIGGER OCCURRED 15.225677 SECONDS AFTER START
6 MAY 92

LEGEND:
A-1

Time= .000474 G's =-2260.088379

Figure 122. Acceleration-Time History: Test 6, Panel T6.




A-2 TRIGGER OCCURRED 15.225677 SECONDS AFTER START
6 MAY 92

LEGEND:
A-2

Time= .000574 G's =-1339.561768

Figure 123. Acceleration-Time History: Test 6, Panel M6.




A-3 TRIGGER OCCURRED 15.225677 SECONDS AFTER START
 6 MAY 92

LEGEND:
 A-3

Time= .000498 G's = -3578.531738

Figure 124. Acceleration-Time History: Test 6, Panel B6.




A-1 TRIGGER OCCURRED 16.360368 SECONDS AFTER START
 8 MAY 92

LEGEND:
 A-1

Time= .001188 G's =-446.910126

Figure 125. Acceleration-Time History: Test 7, Panel T6.




A-2 TRIGGER OCCURRED 16.360360 SECONDS AFTER START
8 MAY 92

LEGEND:
A-2

Time= .000044 G's =-581.940796

Figure 126. Acceleration-Time History: Test 7, Panel M6.




A-3 TRIGGER OCCURRED 16.360368 SECONDS AFTER START
 8 MAY 92

LEGEND:
 A-3

Time= .000724 G's = -1130.062622


Figure 127. Acceleration-Time History: Test 7, Panel B6.



A-1 TRIGGER OCCURRED 24.589182 SECONDS AFTER START
 13 MAY 92

Time= .000982 G's =-280.914949


Figure 128 Acceleration-Time History: Test 8, Panel 16.



A-2 TRIGGER OCCURRED 24.589182 SECONDS AFTER START
 13 MAY 92
 FAILED BEFORE SHOT

Time= .881488 G's = 20071.466797

Figure 129. Acceleration-Time History: Test 8, Panel Mo.




A-3 TRIGGER OCCURRED 24.589182 SECONDS AFTER START
 13 MAY 92

LEGEND:
 A-3

Time= .000724 G's = -835.775513


Figure 130. Acceleration-Time History: Test 8, Panel B6.



A-1 TRIGGER OCCURRED 25.931469 SECONDS AFTER START
 15 MAY 92

Time= .000312 G's =-3907.271484

Figure 131. Acceleration-Time History: Test 9, Panel T6.




A-2 TRIGGER OCCURRED 25.931469 SECONDS AFTER START
 15 MAY 92

LEGEND:
 A-2

Time= .000344 G's =-7378.569824


Figure 132. Acceleration-Time History: Test 9, Panel M6.



A-3 TRIGGER OCCURRED 25.931469 SECONDS AFTER START
 15 MAY 92
 LEGEND:
 A-3

Time= .000326 G's =-10876.852539


Figure 133. Acceleration-time History: Test 9, Panel B6.



R2 TRIGGER OCCURRED 8.621700 SECONDS AFTER START
 LEGEND: 29 JUL 1/8 W @ 2.5"
 R2

Time= .000085 mV =-.292969


Figure 134. Voltage-Time History: Replicate Test- Gage at 2.5 in.



R3 TRIGGER OCCURRED 8.621700 SECONDS AFTER START
 29 JUL 1/8 W @ 3"
 LEGEND:
 R3

Time= .000070 mV =-3.222656


Figure 135. Voltage-Time History: Replicate Test- Gage at 3.0 in.



R4 TRIGGER OCCURRED 8.621700 SECONDS AFTER START
 LEGEND: 29 JUL 1/8 W 0 5 "
 R4

Time= .000150 mV =-.073242


Figure 136. Voltage-Time History: Replicate Test- Gage at 4.5 in.



R4 TRIGGER OCCURRED 8.621700 SECONDS AFTER START
 LEGEND: 29 JUL 1/8 W @ 5.0
 R4

Time= .000150 mV =-.073242


Figure 137. Voltage-Time History: Replicate Test- Gage at 5.0 in.



R5 TRIGGER OCCURRED 8.621763 SECONDS AFTER START
 29 JUL 1/8 W @ 7"

Time = .000273 mV = -.136719

Figure 138. Voltage-Time History: Replicate Test- Gage at 7.0 in.




R1 TRIGGER OCCURRED 8.621700 SECONDS AFTER START
 29 JUL 1/8 W P 8"

LEGEND:
 R1

Time= .000370 mV =-.382734


Figure 139. Voltage-Time History: Replicate Test- Gage at 8.0 in.



R7 TRIGGER OCCURRED 8.621700 SECONDS AFTER START
 29 JUL 1/8 W @ 8.5"

Time= .000366 mV =-.205078


Figure 140. Voltage-Time History: Replicate Test- Gage at 8.5 in.



R6 TRIGGER OCCURRED 8.621700 SECONDS AFTER START
 LEGEND: 29 JUL 1/8 W @ 9"
 R6

Time= .000428 mV = 19.823438

Figure 141. Voltage-Time History: Replicate Test- Gage at 9.0 in.



S1 TRIGGER OCCURRED 8.621700 SECONDS AFTER START
 29 JUL PRESSURE GAGE @ 4"

Time= .000152 PSI = -.345197

Figure 142. Pressure-Time History: Replicate Test Gage at 4.0 in.

B: PHOTOGRAPHS

Figures 144 - 162 present the construction sequence for preparation of a reinforced soil wall. Figures 163 - 169 present post-shot deformations of select walls.




Figure 144. Pluviated Base and Bracing Block




Figure 145. First Course of Facing Panels



Figure 145. First Level of Reinforcement




Figure 147. First Level of Instrumentation




Figure 148. Second Level of Reinforcement




Figure 149. Second Course of Facing Panels




Figure 150. Third level of Reinforcement




Figure 151. Second Level of Instrumentation




Figure 152. Detonator Placement




Figure 153. Buried Detonator




Figure 154. Fourth Level of Reinforcement



Figure 155. Third Course of Facing Panels



Figure 156. Fifth Level of Reinforcement




Figure 157. Third Level of Instrumentation




Figure 158. Sixth Level of Reinforcement



Figure 159. Completed Model




Figure 160. Model Mounted on Centrifuge




Figure 161. Wired Detonator and Top Restraint




Figure 162. Berm




Figure 163. Test 5- Crater




Figure 164. Test 5- Deformed Wall




Figure 165. Test 1- Deformed Wall




Figure 166. Test 1- Close-Up of Central Wall



Figure 167. Test 4- Deformed Wall



Figure 168. Test 4- Compression in Steel Reinforcing



Figure 169. Test 6 Deformed Wall